

CATALOGUE

2026



LIGHTING LINE

DESIGN ALUMINIUM PROFILES FOR LED STRIPS



LIGHTING LINE

ABOUT US



Building on years of experience in the lighting industry, Lighting Line specializes in designing and supplying aluminium profiles and LED strips.

The company has steadily grown over the years and, as of 2022, the entire Lighting Line product range is being manufactured in the newly established Chinese factory in Guangdong. The strategic move to start a proprietary production facility enables complete control over the production process, thus ensuring high quality

standards and more affordable prices.

Recent developments also resulted in a new layout for our stock with the installation of a brand new high-performance vertical warehouse in 2022. In addition to speeding up order processing, this state-of-the-art solution enhances the protection of our stock, improves productivity and drastically reduces the chance of human error.

Our wide selection of aluminum profiles proudly boasts an impeccable Italian design and our registered trademark **Orizzonte** has all the credentials to meet a virtually infinite number of requests for custom LED strips.



To date, our extensive catalog, the expertise of our team and the record delivery times of our logistics department combine to make us a competitive player in the industry.





DARK ROOM WITH GONIOPHOTOMETER AND INTEGRATING SPHERE SPECTRORADIOMETER

Innovation and technology play a key role in our company.

Our first investment in high-tech was the installation of a Dark Room with a Goniophotometer in 2018.

Light direction and intensity can be influenced by many aspects, such as LED's characteristics, the distance from the cover and its material, the shape of the profile itself. In order not to neglect these factors and provide reliable results we have carried out tests our aluminum profiles with each cover using 14,4W/m and 9,6W/m strips with 2835 LED chip. We can also perform photometric tests on LED strips provided by customers so as to support them in the choice of the most suitable profile for their lighting projects.



The second device we systematically rely on to test our products is our integrating sphere spectroradiometer, which makes us able to measure the spectral radiance of our strips and thus to draft ad hoc test reports providing information on their efficiency, color temperature, wavelength, light quality (CRI) and many other features.



INDEX

Full selection review 5

Surface profiles 22

LLP-SL01-01 (21x15mm)	22
LLP-SL02-06 (36x26mm)	23
LLP-SL03-02 (8x10mm)	25
LLP-SL04-04 (18x6mm - bendable)	26
LLP-SL05-03 (17x15mm)	27
LLP-SL06-05 (27x12mm)	28
LLP-SL07-05 (27x7mm)	29
LLP-SL08-03 (17x8mm)	30
LLP-SL09-12 (21x10mm - waterproof)	31
LLP-SL10-13 (21x16mm - waterproof)	32
LLP-SL11-01 (21x17mm)	33
LLP-SL12-16 (13x8mm)	34
LLP-SL13-0222 (8x5mm)	35
LLP-SL14-16 (13x12mm)	36
LLP-SL15-01 (21x13mm)	37
LLP-SL16-16 (13x13mm)	38
LLP-SL17-03 (17x7mm)	39
LLP-SL18-25 (35x35mm)	40
LLP-SL19-26 (15x6mm)	41
LLP-SL20-20 (15x11mm)	42
LLP-SL21-00 (15x15mm)	43
LLP-AC03-00 (15x10mm)	44
LLP-AC04-00 (13x10mm)	45

Recessed profiles 46

LLP-RE01-03 (23x8mm)	46
LLP-RE01B-03 (23x8mm)	47
LLP-RE02-03 (23x15mm)	48
LLP-RE03-05 (37x15mm)	49
LLP-RE04-07 (67x22mm)	50
LLP-RE05-01 (33x14mm)	51
LLP-RE06-01 (33x29mm)	52
LLP-RE07-12 (33x10mm - waterproof)	53
LLP-RE08-13 (33x16mm - waterproof)	54
LLP-RE09-0222 (8x9mm)	55
LLP-RE10-02 (21x9mm)	56
LLP-RE11-16 (17x12mm)	57
LLP-RE12-16 (17x17mm)	58
LLP-RE13-23 (21x12mm)	59
LLP-RE14-23 (15x8mm)	60
LLP-RE15-16 (17x8mm)	61
LLP-RE16-00 (4x9mm)	62
LLP-RE17-02 (9x14mm)	63

Corner profiles 64

LLP-AN01-03 (19x19mm)	64
LLP-AN02-08 (16x16mm)	65
LLP-AN03-08 (16x16mm)	66
LLP-AN04-09 (30x30mm)	67
LLP-AN05-09 (30x30mm)	68
LLP-AN06-20 (10x10mm)	69
LLP-AN07-03 (18x18mm)	70








Wall profiles 71

LLP-WL01-03 (18x48mm)	71
LLP-WL02-03 (24x24mm)	72
LLP-WL03-01 (30x29mm)	73
LLP-WL04-05 (70x31mm)	74
LLP-WL05-05 (34x34mm)	75












Concrete profiles	76
LLP-CC01-06 (46x46mm)	76
Suspension profiles	77
LLP-CL01-06 (35x75mm)	77
LLP-CL02-07 (50x75mm)	79
LLP-CL04-18 (60x71mm)	81
Round profiles	82
LLP-NE01-14 (30mm diameter)	82
LLP-NE02-15 (diameter 30mm - waterproof)	83
LLP-NE03-17 (75mm diameter)	84
LLP-NE04-19 (50mm diameter)	85
Tiling profiles	86
LLP-TI01-11 (58x12mm - walkable/waterproof)	86
LLP-TI02-10 (8x40mm)	87
LLP-TI03-10 (12x41mm)	88
LLP-ST01-00 (30x27mm)	89
Floor profiles	90
LLP-FL01-21 (20x11mm - walkable)	90
LLP-FL02-21 (20x26mm - walkable)	91
LLP-FL03-21 (25x11mm - walkable)	92
Drywall profiles	93
LLP-DW01-03	93
LLP-DW02-03	94
LLP-DW03-03	95
LLP-DW04-06	96
LLP-DW05-07	98
LLP-DW06-02	99
LLP-DW07-01	100
LLP-DW08-03	101
LLP-DW09-01	102
LLP-DW10-05	103
LLP-DW11-03	104
LLP-DW14-03	105
LLP-DW15-03	106
LLP-DW16-03	107
LLP-DW17-00	108
Baseboard profiles	109
LLP-BB02-02 (13x86mm)	109
LLP-BB04-20 (13x80mm)	110
LLP-BB05-00 (15x100mm)	111
Handrail profiles	112
LLP-HR01-0203 (108x144mm)	112
Furniture profiles	114
LLP-SH01-03 (20x20mm)	114
LLP-SH02-03 (22x20mm)	115
LLP-SH03-03 (22x27mm)	116
LLP-WB01-00 (15x29mm)	117
Mirror profiles	118
LLP-MR01-03 (58x30mm)	118
Matching between covers and profiles	119
Full profile selection	121
Key	124









SURFACE					
SKU	Photo	Section	Accessories	Application	Page
LLP-SL08-03 (17x8mm)				Surface Furniture	30
LLP-SL13-0222 (8x5mm)				Surface Furniture	35
LLP-SL03-02 (8x10mm)				Surface Furniture	25
LLP-SL12-16 (13x8mm)				Surface Furniture	34
LLP-SL14-16 (13x12mm)				Surface Furniture	36
LLP-SL16-16 (13x13mm)				Surface Furniture	38
LLP-SL19-26 (15x6mm)				Surface Furniture	41
NEW LLP-AC04-00 (13x10mm)			-	Surface	45


SURFACE

SKU	Photo	Section	Accessories	Application	Page
LLP-AC03-00 (15x10mm)			-	Surface	44
LLP-SL20-20 (15x11mm)				Surface	42
LLP-SL21-00 (15x15mm)			-	Surface Furniture	43
LLP-SL17-03 (17x7mm)				Surface Furniture	39
LLP-SL05-03 (17x15mm)				Surface Furniture	27
LLP-SL04-04 (18x6mm) Bendable				Surface Furniture	26
LLP-SL09-12 (21x10mm) Waterproof				Surface	31
LLP-SL15-01 (21x13mm)				Surface	37



LLP-SL10-13 (21x16mm) Waterproof				Surface	32
LLP-SL11-01 (21x17mm)				Surface	33
LLP-SL01-01 (21x15mm)				Surface	22
LLP-SL07-05 (27x7mm)				Surface	29
LLP-SL06-05 (27x12mm)				Surface	28
LLP-SL18-25 (35x35mm)				Surface	40
LLP-SL02-06 (36x26mm)				Surface	23

MIRROR

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-MR01-03 (58x30mm)				Mirror	118



RECESSED

SKU	Photo	Section	Accessories	Application	Page
LLP-RE01-03 (23x8mm)				Recessed Furniture	46
LLP-RE01B-03 (23x8mm)				Recessed Furniture	47
LLP-RE16-00 (4x9mm)			-	Recessed Furniture	62
NEW LLP-RE17-02 (9x14mm)				Recessed Furniture	63
LLP-RE09-0222 (8x9mm)				Recessed Furniture	55
LLP-RE14-23 (15x8mm)				Recessed Furniture	60
LLP-RE15-16 (17x8mm)				Recessed Furniture	61
LLP-RE11-16 (17x12mm)				Recessed Furniture	57



RECESSED

SKU	Photo	Section	Accessories	Application	Page
LLP-RE12-16 (17x17mm)				Recessed Furniture	58
LLP-RE10-02 (21x9mm)				Recessed Furniture	56
LLP-RE13-23 (21x12mm)				Recessed Furniture	59
LLP-RE02-03 (23x15mm)				Recessed	48
LLP-RE07-12 (33x10mm) Waterproof				Recessed	53
LLP-RE05-01 (33x14mm)				Recessed	51
LLP-RE08-13 (33x16mm) Waterproof				Recessed	54
LLP-RE06-01 (33x29mm)				Recessed	52



RECESSED

SKU	Photo	Section	Accessories	Application	Page
LLP-RE03-05 (37x15mm)				Recessed	49
LLP-RE04-07 (67x22mm)				Recessed	50

TILING





Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-TI02-10 (8x40mm)			-	Tiling	87
LLP-TI03-10 (12x41mm)			-	Tiling	88
LLP-ST01-00 (30x27mm)			-	Tiling Furniture	89
LLP-TI01-11 (58x12mm) Walkable Waterproof				Tiling	86

CONCRETE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-CC01-06 (46x46mm)				Concrete	76




CORNER




Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-AN02-08 (16x16mm)				Corner	65
LLP-AN06-20 (10x10mm)				Corner Furniture	69
LLP-AN03-08 (16x16mm)				Corner Furniture	66
LLP-AN07-03 (18x18mm)				Corner Furniture	70
LLP-AN01-03 (19x19mm)				Corner Furniture	64
LLP-AN04-09 (30x30mm)				Corner Furniture	67
LLP-AN05-09 (30x30mm)				Corner	68



ROUND


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-NE01-14 (30mm diameter)				Round	82
LLP-NE02-15 (30mm diameter) Waterproof				Round	83
LLP-NE04-19 (50mm diameter)				Round	85
LLP-NE03-17 (75mm diameter)				Round	84

FLOOR




Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-FL01-21 (20x11mm)				Floor	90
LLP-FL02-21 (20x26mm)				Floor	91
LLP-FL03-21 (25x11mm)				Floor	92






HANDRAIL

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-HR01-0203 (108x144mm)			-	Handrail	112

BASEBOARD








Part No. (SKU)	Photo	Section	Accessories	Application	Page
NEW LLP-BB04-20 (13x80mm)				Baseboard	110
LLP-BB02-02 (13x86mm)			-	Baseboard	109
NEW LLP-BB05-00 (15x100mm)				Baseboard	111

SUSPENSION

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-CL01-06 (35x75mm)				Suspension	77
LLP-CL02-07 (50x75mm)				Suspension	79
LLP-CL04-18 (60x71mm)				Suspension	81



DRYWALL

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-DW08-03			-	Drywall	101
LLP-DW01-03				Drywall	93
LLP-DW03-03			-	Drywall	95
LLP-DW04-06				Drywall	96
LLP-DW14-03				Drywall	105
LLP-DW06-02			-	Drywall	99
LLP-DW05-07				Drywall	98
LLP-DW16-03				Drywall	107








DRYWALL


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-DW10-05				Drywall	103
LLP-DW07-01				Drywall	100
LLP-DW02-03			-	Drywall	94
LLP-DW11-03				Drywall	104
LLP-DW09-01				Drywall	102
NEW LLP-DW17-00				Drywall	108











WALL

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-WL01-03 (18x48mm)				Wall	71
LLP-WL02-03 (24x24mm)				Wall	72
LLP-WL03-01 (30x29mm)				Wall	73
LLP-WL05-05 (34x34mm)				Wall	75
LLP-WL04-05 (70x31mm)				Wall	74














FURNITURE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-SH01-03 (20x20mm)				Shelf Furniture	114
LLP-SH02-03 (22x20mm)				Shelf Furniture	115
LLP-SH03-03 (22x27mm)				Shelf Furniture	116
LLP-WB01-00 (15x29mm)			-	Furniture	117
LLP-RE09-0222 (8x9mm)				Recessed Furniture	55
LLP-RE10-02 (21x9mm)				Recessed Furniture	56
LLP-RE11-16 (17x12mm)				Recessed Furniture	57
LLP-RE12-16 (17x17mm)				Recessed Furniture	58













FURNITURE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-RE01-03 (23x8mm)				Recessed Furniture	46
LLP-RE13-23 (21x12mm)				Recessed Furniture	59
LLP-RE14-23 (15x8mm)				Recessed Furniture	60
LLP-RE15-16 (17x8mm)				Recessed Furniture	61
LLP-RE16-00 (4x9mm)			-	Recessed Furniture	62
LLP-SL03-02 (8x10mm)				Surface Furniture	25
LLP-SL04-04 (18x6mm) Bendable				Surface Furniture	26
LLP-SL05-03 (17x15mm)				Surface Furniture	27










FURNITURE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-SL08-03 (17x8mm)				Surface Furniture	30
LLP-SL12-16 (13x8mm)				Surface Furniture	34
LLP-SL13-0222 (8x5mm)				Surface Furniture	35
LLP-SL14-16 (13x12mm)				Surface Furniture	36
LLP-SL16-16 (13x13mm)				Surface Furniture	38
LLP-SL17-03 (17x7mm)				Surface Furniture	39
LLP-SL19-26 (15x6mm)				Surface Furniture	41
LLP-SL21-00 (15x15mm)			-	Surface Furniture	43




FURNITURE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-AN01-03 (19x19mm)				Corner Furniture	64
LLP-AN03-08 (16x16mm)				Corner Furniture	66
LLP-AN04-09 (30x30mm)				Corner Furniture	67
LLP-AN06-20 (10x10mm)				Corner Furniture	69
LLP-AN07-03 (18x18mm)				Corner Furniture	70
LLP-ST01-00 (30x27mm)			-	Tiling	89



LLP-SL01-01


Available in 2m and 3m for LED strips up to 17 mm width




COVERS



PHOTOMETRIC CURVE




High opal cover
(light reduction: -25%)




Low opal cover
(light reduction: -31%)



INSTALLATION



END CAPS



MOUNTING CLIPS




A	B	C	D	E	F	G	H	I	L
Article	Description	Length	Material	Color	Picture	Packaging			
LLP-SL01-01-S2 / LLP-SL01-01-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	-	50 pcs			
LLP-SL01-01-B2	Surface profile	2m	Anodized aluminium	Black	-	50 pcs			
LLP-SL01-01-W2 / LLP-SL01-01-W3	Surface profile	2m / 3m	Painted aluminium	White	-	120 pcs			
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3	High opal / frosted cover	2m / 3m	Polycarbonate	-	-	160 / 120 pcs			
LLD-01-FM2 / LLD-01-FM3	Low opal cover	2m	Polycarbonate	-	-	350 pcs			
LLD-01-FS2	Low frosted cover	2m	Polycarbonate	-	-	350 pcs			
LLE-SL01A-GP-N / -BP-N / -WP-N	High end cap	-	Plastic	Grey / Black / White	A	-			
LLE-SL01B-GP-N / -BP-N / -WP-N	Low end cap	-	Plastic	Grey / Black / White	B	-			
LLM-IN01-M	Mounting clip	-	Metal	-	C	-			
LLM-SP02-M	Mounting spring	-	Metal	-	D	-			
LLM-CL01-M / LLM-CL02-M	Suspension kit	2m	Metal	-	E / F	-			
LLM-AC01-M	Straight connector	-	Metal	-	G	-			
LLM-AC02-M	120° horizontal connector	-	Metal	-	H	-			
LLM-AC03-M	90° horizontal connector	-	Metal	-	I	-			
LLM-AC04-M	90° vertical connector	-	Metal	-	L	-			




LLP-SL02-06




Available in 3m for LED strips up to 20 mm width





COVERS





INSTALLATION



Photometric curves carried out changing the position of lower cover




— C0-C180 — C90-C270
Flat opal cover: -36%
Flat frosted cover: -38%




— C0-C180 — C90-C270
Outside opal cover: -40%
Outside frosted cover: -42%

Photometric curves carried out using the lens covers



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL02-06-S3	Surface profile	3m	Anodized aluminium	Silver	–	18 pcs
LLP-SL02-06-B3	Surface profile	3m	Anodized aluminium	Black	–	18 pcs
LLP-SL02-06-W3	Surface profile	3m	Painted aluminium	White	–	18 pcs
LLP-HS05-00-S3	Heatsink	3m	Anodized aluminium	Silver	–	–
LLD-06-CM3	Opal cover	3m	Polycarbonate	–	–	30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	–	–	30 pcs
LLD-06-XK1-L1	Lens 52°	1.176 m	Polycarbonate	–	–	–
LLD-06-XK1-L2	Lens 90°	1.176 m	Polycarbonate	–	–	–
LLD-06-XK1-L3	Asymmetric lens	1.176 m	Polycarbonate	–	–	–
LLD-06-XK1-L4	Lens with double asymmetry	1.176 m	Polycarbonate	–	–	–
LLE-SL02-GP-N / -BP-N / -WP-N	End cap without hole	–	Plastic	Gray / Black / White	A	–
LLE-D06C-WP-X	White end cap for cover	–	Plastic	White	B	–
LLM-IN01-M	Mounting clip	–	Metal	–	C	–
LLM-SP02-M	Mounting spring	–	Metal	–	D	–
LLM-CL01-M	Suspension kit	2m	Metal	–	E	–
LLM-CL02-M	Suspension kit	2m	Metal	–	F	–
LLM-AC01-M	Straight connector	–	Metal	–	G	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	H	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	I	–
LLM-AC04-M	90° vertical connector	–	Metal	–	L	–



LLP-SL03-02


Available in 2m and 3m for LED strips up to 6 mm width



COVERS




PHOTOMETRIC CURVE



Opal cover: -35%
Frosted cover: -38%




INSTALLATION



END CAPS

MOUNTING CLIPS



A


B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL03-02-S2 / LLP-SL03-02-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	-	200 pcs
LLP-SL03-02-B2	Surface profile	2m	Anodized aluminium	Black	-	200 pcs
LLP-SL03-02-W2	Surface profile	2m	Painted aluminium	White	-	200 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2m / 3m	Polycarbonate	-	-	600 / 300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2m / 3m	Polycarbonate	-	-	600 / 300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-
LLM-IN03-M	Mounting clip	-	Metal	-	B	-



LLP-SL04-04


Available in 2m for LED strips up to 13mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -25%)



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL04-04-S2	Surface profile	2m	Anodized aluminium	Silver	–	200 pcs
LLD-04-UM2	Opal cover	2m	Polycarbonate	–	–	240 pcs
LLE-SL04-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-SL04-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLM-ES03-M	Mounting clip	–	Metal	–	C	–



LLP-SL05-03


Available in 2m and 3m for LED strips up to 12mm width




COVERS




PHOTOMETRIC CURVE




Transparent cover 50°
(light reduction: -34%)




Black cover
(light reduction: -89%)



Semiopal cover 67°
(light reduction: -38%)




Opal cover: -49%
Frosted cover: -55%



18° lens cover
(light reduction: -34%)

INSTALLATION



END CAPS



MOUNTING CLIPS



CONNECTORS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL05-03-S2 / LLP-SL05-03-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	–	70 pcs
LLP-SL05-03-B2 / LLP-SL05-03-B3	Surface profile	2m / 3m	Anodized aluminium	Black	–	70 pcs
LLP-SL05-03-W2 / LLP-SL05-03-W3	Surface profile	2m / 3m	Painted aluminium	White	–	70 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	–	–	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	–	180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	–	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	18° lens	2m / 3m	PMMA	–	–	–
LLE-SL05-GP-N / -BP-N / -WP-N	End cap without hole	–	Plastic	Grey / Black / White	A	–
LLE-SL05-GP-W / -BP-W / -WP-W	End cap with hole	–	Plastic	Grey / Black / White	B	–
LLE-SL05-GP-F / -BP-F / -WP-F	End cap for furniture	–	Plastic	Grey / Black / White	C	–
LLM-ES02-M / LLM-ES02-P	Mounting clip	–	Metal / Plastic	–	D / E	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	F	–
LLC-01-03-T20	Connector for profile	–	–	Transparent	G	–
LLC-01-03-T20A	Connector for profile dupont	–	–	Transparent	H	–




LLP-SL06-05

Available in 2m and 3m for LED strips up to 12mm width


COVERS



PHOTOMETRIC CURVE




Transparent cover
(light reduction: -14%)



Opal cover: -32%
Frosted cover: -33%

INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL06-05-S2 / LLP-SL06-05-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	–	48 pcs
LLP-SL06-05-W2 / LLP-SL06-05-W3	Surface profile	2m / 3m	Painted aluminium	White	–	48 pcs
LLD-05-FK2 / LLD-05-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	240 / 140 pcs
LLD-05-FM2-C20 / LLD-05-FM3-C20	Opal cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLD-05-FS2 / LLD-05-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	240 / 140 pcs
LLE-SL06-GP-N / LLE-SL06-WP-N	End cap without hole	–	Plastic	Grey / White	A	–
LLE-SL06-GP-W / LLE-SL06-WP-W	End cap with hole	–	Plastic	Grey / White	B	–
LLM-ES04-M	Mounting clip	–	Metal	–	C	–


LLP-SL07-05

Available in 2m and 3m for LED strips up to 24 mm width


COVERS



PHOTOMETRIC CURVE




Transparent cover
(light reduction: -8%)



Opal cover: -26%
Frosted cover: -27%



INSTALLATION



END CAPS

MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL07-05-S2 / LLP-SL07-05-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	–	96 pcs
LLP-SL07-05-W2	Surface profile	2m	Painted aluminium	White	–	96 pcs
LLD-05-FK2 / LLD-05-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	240 / 140 pcs
LLD-05-FM2-C20 / LLD-05-FM3-C20	Opal cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLD-05-FS2 / LLD-05-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	240 / 140 pcs
LLE-SL07-GP-N / LLE-SL07-WP-N	End cap without hole	–	Plastic	Grey / White	A	–
LLE-SL07-GP-W / LLE-SL07-WP-W	End cap with hole	–	Plastic	Grey / White	B	–
LLM-ES04-M	Mounting clip	–	Metal	–	C	–




LLP-SL08-03

Available in 2m and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 90°
(light reduction: -16%)




Black cover
(light reduction: -84%)




Semiopal cover 90°
(light reduction: -20%)





Opal cover: -32%



Frosted cover: -39%



60° lens cover
(light reduction: -16%)



END CAPS



A

B

C

MOUNTING CLIPS



D

E

F

G

CONNECTORS



H

I

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL08-03-S2 / LLP-SL08-03-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	-	120 / 80 pcs
LLP-SL08-03-B2 / LLP-SL08-03-B3	Surface profile	2m / 3m	Anodized aluminium	Black	-	120 / 80 pcs
LLP-SL08-03-W2 / LLP-SL08-03-W3	Surface profile	2m / 3m	Painted aluminium	White	-	120 / 80 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	-	-	320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	-	-	320 / 180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	-	-	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	-	-	320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	-	-	320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	-	180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	-	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	PMMA	-	-	-
LLE-SL08-GP-N / -WP-N / -BP-N	End cap without hole	-	Plastic	Grey/White/Black	A	-
LLE-SL08-GP-W / -WP-W / -BP-W	End cap with hole	-	Plastic	Grey/White/Black	B	-
LLE-SL08-GP-F / -WP-F / -BP-F	End cap for furniture	-	Plastic	Grey/White/Black	C	-
LLM-ES01-M / LLM-ES01-P	Mounting clip	-	Metal / Plastic	-	D / E	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	F	-
LLC-01-03-T20	Connector for profile	-	-	Transparent	G	-
LLC-01-03-T20A	Connector for profile dupont	-	-	Transparent	H	-




LLP-SL09-12

Available in 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Opal cover
(light reduction: -32%)



INSTALLATION



END CAPS



A

B

C

D


MOUNTING CLIPS

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL09-12-S3	Waterproof surface profile	3m	Anodized aluminium	Silver	–	100 pcs
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver	–	128 pcs
LLD-12-WK3	Transparent cover	3m	Polycarbonate	–	–	128 pcs
LLD-12-WM3	Opal cover	3m	Polycarbonate	–	–	128 pcs
LLE-SL09-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-SL09-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLE-D12W-WS-U	Internal end cap	–	Silicone	White	C	–
LLM-ES07-M	Mounting clip	–	Metal	–	D	–



LLP-SL10-13


Available in 3m for LED strips up to 12mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -44%)



INSTALLATION



END CAPS



MOUNTING CLIPS

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL10-13-S3	Waterproof surface profile	3m	Anodized aluminium	Silver	–	50 pcs
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver	–	–
LLD-13-WM3	Opal cover	3m	Polycarbonate	–	–	–
LLE-SL10-GP-N	End cap without hole	–	Plastic	Grey	A	300 pcs
LLE-SL10-GP-W	End cap with hole	–	Plastic	Grey	B	300 pcs
LLE-D13W-WS-U	Internal end cap	–	Silicone	White	C	200 pcs
LLM-ES08-M	Mounting clip	–	Metal	–	D	–


LLP-SL11-01

Available in 2m for LED strips up to 17 mm width

COVERS




PHOTOMETRIC CURVE



High opal cover
(light reduction: -25%)



INSTALLATION



END CAPS

MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL11-01-S2	Surface profile	2m	Anodized aluminium	Silver	-	64 pcs
LLP-SL11-01-W2 / LLP-SL11-01-W3	Surface profile	2m / 3m	Painted aluminium	White	-	64 pcs
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3	High opal / frosted cover	2m / 3m	Polycarbonate	-	-	160 / 120 pcs
LLE-SL11-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL11-WP-N	End cap without hole	-	Plastic	White	A	-
LLM-IN04-M	Mounting clip	-	Metal	-	B	-
LLM-SP02-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-




LLP-SL12-16

Available in 2 and 3m for LED strips up to 10 mm width


COVERS




PHOTOMETRIC CURVE




Opal cover: -37%
Frosted cover: -37%



INSTALLATION



END CAPS



MOUNTING CLIPS

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL12-16-S2 / LLP-SL12-16-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	–	154 pcs
LLP-SL12-16-W2 / LLP-SL12-16-W3	Surface profile	2m / 3m	Painted aluminium	White	–	154 pcs
LLD-16-FK2 / LLD-16-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	400 pcs
LLD-16-FM2-C20 / LLD-16-FM3-C20	Opal cover	2m / 3m	Polycarbonate	–	–	500 / 200 pcs
LLD-16-FS2 / LLD-16-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	400 / 240 pcs
LLE-SL12-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-SL12-WP-N	End cap without hole	–	Plastic	White	A	–
LLE-SL12-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLE-SL12-WP-W	End cap with hole	–	Plastic	White	B	–
LLE-SL12-GP-F	End cap for furniture	–	Plastic	Grey	C	–
LLE-SL12-WP-F / LLE-SL12-BP-F	End cap for furniture	–	Plastic	White / Black	C	–
LLM-ES09-M	Mounting clip	–	Metal	–	D	–



LLP-SL13-0222


Available in 2m for LED strips up to 6 mm width




COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -27%)



Frosted cover
(light reduction: -24%)



Opal cover with fins
(light reduction: -26%)

INSTALLATION



END CAPS



A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL13-0222-S2 / LLP-SL13-0222-B2	Surface profile	2m	Anodized aluminium	Silver / Black	–	320 pcs
LLP-SL13-0222-W2	Surface profile	2m	Painted aluminium	White	–	320 pcs
LLD-02-FM2 / LLD-02-FS2	Opal / Frosted cover	2m	Polycarbonate	–	–	300 pcs
LLD-22-FM2	Opal cover	2m	Polycarbonate	–	–	300 pcs
LLE-SL13-GP-U	End cap	–	Plastic	Grey	A	–




LLP-SL14-16

Available in 2 and 3m for LED strips up to 10 mm width


COVERS



PHOTOMETRIC CURVE



Opal cover: -48%
Frosted cover: -48%



INSTALLATION



END CAPS



A


B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL14-16-S2 / LLP-SL14-16-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	-	112 pcs
LLP-SL14-16-B2 / LLP-SL14-16-B3	Surface profile	2m / 3m	Anodized aluminium	Black	-	112 pcs
LLP-SL14-16-W2 / LLP-SL14-16-W3	Surface profile	2m / 3m	Painted aluminium	White	-	112 pcs
LLD-16-FM2-C20 / LLD-16-FM3-C20	Opal cover	2m / 3m	Polycarbonate	-	-	500 / 200 pcs
LLD-16-FS2 / LLD-16-FS3	Frosted cover	2m / 3m	Polycarbonate	-	-	400 / 240 pcs
LLE-SL14-GP-N / -BP-N / WP-N	End without hole	-	Plastic	-	A	-
LLE-SL14-GP-W / -BP-W / WP-W	End with hole	-	Plastic	-	B	-



LLP-SL15-01


Available in 2m and 3m for LED strips up to 18 mm width




COVERS




PHOTOMETRIC CURVE



Low opal cover
(light reduction: -39%)




Low frosted cover
(light reduction: -41%)



High opal cover
(light reduction: -31%)

INSTALLATION



END CAPS



MOUNTING CLIPS

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL15-01-S2	Surface profile	2m	Anodized aluminium	Silver	–	80 pcs
LLP-SL15-01-B2	Surface profile	2m	Anodized aluminium	Black	–	80 pcs
LLP-SL15-01-W2 / LLP-SL15-01-W3	Surface profile	2m / 3m	Painted aluminium	White	–	80 pcs
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3	High opal / frosted cover	2m / 3m	Polycarbonate	–	–	160 / 120 pcs
LLD-01-FM2 / LLD-01-FM3	Low opal cover	2m / 3m	Polycarbonate	–	–	350 pcs
LLD-01-FS2	Low frosted cover	2m	Polycarbonate	–	–	350 pcs
LLE-SL15A-GP-N / -BP-N / -WP-N	High end cap without hole	–	Plastic	Gre. / Bla. / Whi.	A	–
LLE-SL15A-GP-W / -BP-W / -WP-W	High end cap with hole	–	Plastic	Gre. / Bla. / Whi.	B	–
LLE-SL15B-GP-N / -BP-N / -WP-N	Low end cap without hole	–	Plastic	Gre. / Bla. / Whi.	C	–
LLE-SL15B-GP-W / -BP-W / -WP-W	Low end cap with hole	–	Plastic	Gre. / Bla. / Whi.	D	–
LLM-ES10-M	Mounting clip	–	Metal	Gre. / Bla. / Whi.	E	–




LLP-SL16-16

Available in 2 and 3m for LED strips up to 10 mm width


COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -41%)



Frosted cover
(light reduction: -41%)



INSTALLATION



END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL16-16-S2 / LLP-SL16-16-S3	Surface profile	2m / 3m	Anodized aluminium	Silver	–	120 pcs
LLP-SL16-16-B2 / LLP-SL16-16-B3	Surface profile	2m / 3m	Anodized aluminium	Black	–	120 pcs
LLP-SL16-16-W2 / LLP-SL16-16-W3	Surface profile	2m / 3m	Painted aluminium	White	–	120 pcs
LLD-16-FM2-C20 / LLD-16-FM3-C20	Opal cover	2m / 3m	Polycarbonate	–	–	500 / 200 pcs
LLD-16-FS2 / LLD-16-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	400 / 240 pcs
LLE-SL16L-GP-N / -BP-N / -WP-N	Left end cap without hole	–	Plastic	Gre. / Bla. / Whi.	A	–
LLE-SL16L-GP-W / -BP-W / -WP-W	Left end cap with hole	–	Plastic	Gre. / Bla. / Whi.	B	–
LLE-SL16R-GP-N / -BP-N / -WP-N	Right end cap without hole	–	Plastic	Gre. / Bla. / Whi.	C	–
LLE-SL16R-GP-W / -BP-W / -WP-W	Right end cap with hole	–	Plastic	Gre. / Bla. / Whi.	D	–




LLP-SL17-03

Available in 2m and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -2%)




Semiopal cover
(light reduction: -9%)




Black cover
(light reduction: -86%)



Opal cover: -24%
Frosted cover: -22%



60° lens cover
(light reduction: -3%)



INSTALLATION



END CAPS



MOUNTING CLIPS



CONNECTORS



A	B	C	D	E	F	G			
Article	Description		Length	Material	Color	Picture	Packaging		
LLP-SL17-03-S2 / LLP-SL17-03-S3	Surface profile		2m / 3m	Anodized aluminium	Silver	-	120 pcs		
LLP-SL17-03-B2 / LLP-SL17-03-B3	Surface profile		2m / 3m	Anodized aluminium	Black	-	120 pcs		
LLP-SL17-03-W2 / LLP-SL17-03-W3	Surface profile		2m / 3m	Painted aluminium	White	-	120 pcs		
LLD-03-FK2 / LLD-03-FK3	Transparent cover		2m / 3m	Polycarbonate	-	-	180 pcs		
LLD-03-FM2 / LLD-03-FM3	Opal cover		2m / 3m	Polycarbonate	-	-	180 pcs		
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)		2m / 3m	Polycarbonate	-	-	400 / 200 pcs		
LLD-03-FH2 / LLD-03-FH3	Semiopal cover		2m / 3m	Polycarbonate	-	-	180 pcs		
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover		2m / 3m	Polycarbonate	White / Black	-	180 pcs		
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens		2m / 3m	PMMA	-	-	-		
LLE-SL17-WP-N / LLE-SL17-BP-N	End cap without hole		-	Plastic	White / Black	A	-		
LLE-SL17-GP-N	End cap without hole		-	Plastic	Grey	A	-		
LLE-SL17-WP-W / LLE-SL17-BP-W	End cap with hole		-	Plastic	White / Black	B	-		
LLE-SL17-GP-W	End cap with hole		-	Plastic	Grey	B	-		
LLM-ES11-M	Mounting clip		-	Metal	-	C	-		
LLM-ES01-P	Mounting clip		-	Plastic	-	D	-		
LLM-AC05-P	90° mounting clip		-	Plastic	-	E	-		
LLC-01-03-T20	Connector for profile		-	-	Transparent	F	-		
LLC-01-03-T20A	Connector for profile dupont		-	-	Transparent	G	-		




LLP-SL18-25

Available in 2m and 3m for LED strips up to 10mm width


COVERS



PHOTOMETRIC CURVE




With heatsink
(light reduction: -27%)



Without heatsink
(light reduction: -63%)

INSTALLATION



END CAPS

MOUNTING CLIPS



A	B	C	D	E	F			
Article	Description	Length	Material	Color	Picture	Packaging		
LLP-SL18-25-S2	Surface profile	2m	Anodized aluminium	Silver	–	18 pcs		
LLP-SL18-25-S3	Surface profile	3m	Anodized aluminium	Silver	–	18 pcs		
LLP-SL18-25-B2	Surface profile	2m	Anodized aluminium	Black	–	18 pcs		
LLP-HS06-00-P2	Heatsink	2m	Polished silver	Silver	–	120 pcs		
LLP-HS06-00-P3	Heatsink	3m	Polished silver	Silver	–	120 pcs		
LLD-25-FM2	Opal cover	2m	Polycarbonate	–	–	140 pcs		
LLD-25-FM3	Opal cover	3m	Polycarbonate	–	–	140 pcs		
LLE-SL18-GP-U	End cap	–	Plastic	Grey	A	–		
LLE-SL18-BP-U	End cap	–	Plastic	Black	A	–		
LLM-IN10-M	Mounting clip	–	Metal	–	B	–		
LLM-AC01-M	Straight connector	–	Metal	–	C	–		
LLM-AC02-M	120° horizontal connector	–	Metal	–	D	–		
LLM-AC03-M	90° horizontal connector	–	Metal	–	E	–		
LLM-AC04-M	90° vertical connector	–	Metal	–	F	–		

LLP-SL19-26


Available in 2m and 3m for LED strips up to 10mm width



COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -37%)

INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL19-26-S2	Surface profile	2m	Anodized aluminium	Silver	–	300 pcs
LLP-SL19-26-S3	Surface profile	3m	Anodized aluminium	Silver	–	300 pcs
LLD-26-FM2	Opal cover	2m	Polycarbonate	–	–	300 pcs
LLD-26-FM3	Opal cover	3m	Polycarbonate	–	–	300 pcs
LLE-SL19-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-SL19-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLM-ES12-M	Mounting clip	–	Metal	–	C	–



LLP-SL20-20


Available in 2m and 3m for LED strips up to 12mm width




COVERS



PHOTOMETRIC CURVE



Transparent cover
(light reduction: -6%)



Opal cover
(light reduction: -23%)



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL20-20-W2	Surface profile	2m	Painted aluminium	White	-	-
LLP-SL20-20-W3	Surface profile	3m	Painted aluminium	White	-	112 pcs
LLD-20-UM2	Opal cover	2m	Polycarbonate	-	-	400 pcs
LLD-20-UM3	Opal cover	3m	Polycarbonate	-	-	240 pcs
LLE-SL20-SM-N	End cap without hole	-	Galvanized sheet	Silver	A	-
LLE-SL20-WM-N	End cap without hole	-	Painted sheet	White	A	-
LLE-SL20-SM-W	End cap with hole	-	Galvanized sheet	Silver	B	-
LLE-SL20-WM-W	End cap with hole	-	Painted sheet	White	B	-
LLM-IN11-M	Magnet	-	Metal	-	C	-




LLP-SL21-00


Available in 2m for LED strips up to 12mm width



PHOTOMETRIC CURVE



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL21-00-D2	Surface profile	2m	Polycarbonate	Silver	–	56 pcs
LLM-AC08-M	Steel strip	2m	Steel	Silver	–	–





LLP-AC03-00


Available in 3m for IP protection LED strip up to 12mm width



PHOTOMETRIC CURVE



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AC03-00-S3	Surface profile	3m	Anodized aluminium	Silver	-	240 pcs





LLP-AC04-00


Available in 2.9 for IP protection LED strip up to 12mm width



PHOTOMETRIC CURVE



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AC04-00-S2.9	Surface profile	2.9	Anodized aluminium	Silver	-	104 pcs




LLP-RE01-03

Available in 2m and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 90°
(light reduction: -16%)




Semiopal cover 90°
(light reduction: -20%)



Opal cover: -32%
Frosted cover: -39%



Black cover
(light reduction: -84%)



60° lens cover
(light reduction: -16%)

INSTALLATION



END CAPS



CONNECTORS




A	B	C	D	E	F			
Article	Description	Length	Material	Color	Picture	Packaging		
LLP-RE01-03-S2 / LLP-RE01-03-S3	Recessed profile	2m / 3m	Anodized aluminium	Silver	–	80 pcs		
LLP-RE01-03-B2 / LLP-RE01-03-B3	Recessed profile	2m / 3m	Anodized aluminium	Black	–	80 pcs		
LLP-RE01-03-W2 / LLP-RE01-03-W3	Recessed profile	2m / 3m	Painted aluminium	White	–	80 pcs		
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs		
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	180 pcs		
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	–	–	400 / 200 pcs		
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs		
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2m / 3m	Polycarbonate	White / Black	–	180 pcs		
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	PMMA	–	–	–		
LLE-RE01-WP-N / LLE-RE01-BP-N	End cap without hole	–	Plastic	White / Black	A	–		
LLE-RE01-GP-N	End cap without hole	–	Plastic	Grey	A	–		
LLE-RE01-WP-W / LLE-RE01-BP-W	End cap with hole	–	Plastic	White / Black	B	–		
LLE-RE01-GP-W	End cap with hole	–	Plastic	Grey	B	–		
LLE-RE01-WP-W100A	Rounded end cap with cable	–	Plastic	White	C	–		
LLE-RE01-WP-R	Rounded end cap	–	Plastic	White	D	–		
LLC-01-03-T20	Connector for profile	–	–	Transparent	E	–		
LLC-01-03-T20A	Connector for profile dupont	–	–	Transparent	F	–		



LLP-RE01B-03

Available in 2m and 3m for LED strips up to 12mm width



INSTALLATION



END CAPS



B



C



D



CONNECTORS




F




COVERS




PHOTOMETRIC CURVE




Transparent cover 90°
(light reduction: -16%)




Semiopal cover 90°
(light reduction: -20%)



Opal cover: -32%
Frosted cover: -39%



Black cover
(light reduction: -84%)



60° lens cover
(light reduction: -16%)


Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE01B-03-S2 / LLP-RE01B-03-S3	Recessed profile	2m / 3m	Anodized aluminium	Silver	–	80 pcs
LLP-RE01B-03-B2 / LLP-RE01B-03-B3	Recessed profile	2m / 3m	Anodized aluminium	Black	–	80 pcs
LLP-RE01B-03-W2 / LLP-RE01B-03-W3	Recessed profile	2m / 3m	Painted aluminium	White	–	80 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	–	–	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2m / 3m	Polycarbonate	White / Black	–	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	PMMA	–	–	–
LLE-RE01-WP-N / LLE-RE01-BP-N	End cap without hole	–	Plastic	White / Black	A	–
LLE-RE01-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-RE01-WP-W / LLE-RE01-BP-W	End cap with hole	–	Plastic	White / Black	B	–
LLE-RE01-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLE-RE01-WP-W100A	Rounded end cap with cable	–	Plastic	White	C	–
LLE-RE01-WP-R	Rounded end cap	–	Plastic	White	D	–
LLC-01-03-T20	Connector for profile	–	–	Transparent	E	–
LLC-01-03-T20A	Connector for profile dupont	–	–	Transparent	F	–




LLP-RE02-03

Available in 2m and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 90°
(light reduction: -16%)




Semiopal cover 90°
(light reduction: -20%)



Opal cover: -32%
Frosted cover: -39%




Black cover
(light reduction: -84%)



18° lens cover
(light reduction: -16%)

INSTALLATION



END CAPS



CONNECTORS





A	B	C	D	Article	Description	Length	Material	Color	Picture	Packaging
				LLP-RE02-03-S2 / LLP-RE02-03-S3	Recessed profile	2m / 3m	Anodized aluminium	Silver	–	48 pcs
				LLP-RE02-03-B2 / LLP-RE02-03-B3	Recessed profile	2m / 3m	Anodized aluminium	Black	–	48 pcs
				LLP-RE02-03-W2 / LLP-RE02-03-W3	Recessed profile	2m / 3m	Painted aluminium	White	–	48 pcs
				LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs
				LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	–	–	400 / 200 pcs
				LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	180 pcs
				LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs
				LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	180 pcs
				LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	–	180 pcs
				LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	–	180 pcs
				LLD-03-XK2-L2 / LLD-03-XK3-L2	18° lens	2m / 3m	PMMA	–	–	–
				LLE-RE02-GP-N / -BP-N / -WP-N	End cap without hole	–	Plastic	Grey / Black / White	A	–
				LLE-RE02-GP-W / -BP-W / -WP-W	End cap with hole	–	Plastic	Grey / Black / White	B	–
				LLC-01-03-T20	Connector for profile	–	–	Transparent	C	–
				LLC-01-03-T20A	Connector for profile dupont	–	–	Transparent	D	–




LLP-RE03-05

Available in 2m for LED strips up to 12mm width


COVERS



PHOTOMETRIC CURVE




Transparent cover
(light reduction: -14%)



Opal cover: -32%
Frosted cover: -33%



INSTALLATION



END CAPS

MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE03-05-S2	Recessed profile	2m	Anodized aluminium	Silver	-	60 pcs
LLD-05-FK2	Transparent cover	2m	Polycarbonate	-	-	240 pcs
LLD-05-FM2-C20	Opal cover	2m	Polycarbonate	-	-	320 pcs
LLD-05-FS2	Frosted cover	2m	Polycarbonate	-	-	240 pcs
LLE-RE03-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE03-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLM-SP01-M	Mounting spring	-	Metal	-	C	-




LLP-RE04-07

Available in 2m for LED strips up to 43mm width


COVERS



PHOTOMETRIC CURVE



Low opal cover: -39%
Low frosted cover: -41%



High opal cover: -38%
High frosted cover: -39%



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE04-07-S2	Recessed profile	2m	Anodized aluminium	Silver	-	24 pcs
LLP-RE04-07-W2	Recessed profile	2m	Painted aluminium	White	-	24 pcs
LLD-07-CM2	Opal cover	2m	Polycarbonate	-	-	48 pcs
LLD-07-CS2	Frosted cover	2m	Polycarbonate	-	-	48 pcs
LLE-RE04B-GP-W / LLE-RE04B-WP-W	Low end cap	-	Plastic	Grey / White	A	-
LLE-RE04A-GP-W / LLE-RE04A-WP-W	High end cap	-	Plastic	Grey / White	B	-
LLM-SP01-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-



LLP-RE05-01


Available in 2m for LED strips up to 17 mm width




COVERS



PHOTOMETRIC CURVE




High opal cover
(light reduction: -29%)



Flat opal cover
(light reduction: -36%)

INSTALLATION



END CAPS


MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE05-01-S2	Recessed profile	2m	Anodized aluminium	Silver	-	36 pcs
LLP-RE05-01-W2	Recessed profile	2m	Painted aluminium	White	-	36 pcs
LLD-01-CM2	High opal cover	2m	Polycarbonate	-	-	160 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	-	-	350 pcs
LLE-RE05-GP-W / LLE-RE05-WP-W	End cap with hole	-	Plastic	Grey / White	A	-
LLE-D01C-GP-X / LLE-D01C-WP-X	End cap for high cover	-	Plastic	Grey / White	B	-
LLM-SP01-M	Mounting spring	-	Metal	-	C	-

LLP-RE06-01


Available in 2m for LED strips up to 17 mm width




COVERS



PHOTOMETRIC CURVE




High opal cover
(light reduction: -38%)




Flat opal cover
(light reduction: -45%)

INSTALLATION



END CAPS




MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE06-01-S2	Recessed profile	2m	Anodized aluminium	Silver	-	30 pcs
LLD-01-CM2	High opal cover	2m	Polycarbonate	-	-	160 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	-	-	350 pcs
LLE-RE06-GP-W	End cap with hole	-	Plastic	Grey	A	-
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	-
LLM-SP01-M	Mounting spring	-	Metal	-	C	-

LLP-RE07-12


Available in 3m for LED strips up to 12mm width



COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -32%)



INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE07-12-S3	Waterproof recessed profile	3m	Anodized aluminium	Silver	-	80 pcs
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver	-	-
LLD-12-WK3	Transparent cover	3m	Polycarbonate	-	-	128 pcs
LLD-12-WM3	Opal cover	3m	Polycarbonate	-	-	128 pcs
LLE-RE07-GP-W	External end cap with hole	-	Plastic	Grey	A	-
LLE-D12W-WS-U	Internal end cap	-	Silicone	White	B	-



LLP-RE08-13


Available in 3m for LED strips up to 12mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -44%)



INSTALLATION



END CAPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE08-13-S3	Waterproof recessed profile	3m	Anodized aluminium	Silver	-	48 pcs
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver	-	-
LLD-13-WM3	Opal cover	3m	Polycarbonate	-	-	80 pcs
LLE-RE08-GP-W	External end cap with hole	-	Plastic	Grey	A	-
LLE-D13W-WS-U	Internal end cap	-	Silicone	White	B	-



LLP-RE09-0222


Available in 2m and 3m for LED strips up to 6 mm width




COVERS



PHOTOMETRIC CURVE




Opal cover: -50%
Frosted cover: -53%



Opal cover with fins
(light reduction: -50%)



INSTALLATION



END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE09-0222-S2 / LLP-RE09-0222-S3	Recessed profile	2m / 3m	Anodized aluminium	Silver	–	200 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	600 / 300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	600 / 300 pcs
LLD-22-FM2 / LLD-22-FM3	Opal cover with fins	2m / 3m	Polycarbonate	–	–	–
LLE-SL03RE09-GS-U	End cap	–	Silicone	Grey	A	–

LLP-RE10-02


Available in 2m and 3m for LED strips up to 6 mm width



COVERS



PHOTOMETRIC CURVE



Opal cover: -46%
Frosted cover: -50%



INSTALLATION



END CAPS



A	B	C	D	E				
Article			Description	Length	Material	Color	Picture	Packaging
LLP-RE10-02-S2			Recessed profile	2m	Anodized aluminium	Silver	–	60 pcs
LLP-RE10-02-S3			Recessed profile	3m	Anodized aluminium	Silver	–	60 pcs
LLP-RE10-02-B2			Recessed profile	2m	Anodized aluminium	Black	–	60 pcs
LLP-RE10-02-B3			Recessed profile	3m	Anodized aluminium	Black	–	60 pcs
LLP-RE10-02-W2			Recessed profile	2m	Painted aluminium	White	–	60 pcs
LLP-RE10-02-W3			Recessed profile	3m	Painted aluminium	White	–	60 pcs
LLD-02-FM2			Opal cover	2m	Polycarbonate	–	–	600 pcs
LLD-02-FM3			Opal cover	3m	Polycarbonate	–	–	300 pcs
LLD-02-FS2			Frosted cover	2m	Polycarbonate	–	–	600 pcs
LLD-02-FS3			Frosted cover	3m	Polycarbonate	–	–	300 pcs
LLE-RE10L-GP-R			Left round end cap	–	Plastic	–	A	–
LLE-RE10R-GP-R			Right round end cap	–	Plastic	–	B	–
LLE-RE10L-GP-S			Left squared end cap	–	Plastic	–	C	–
LLE-RE10R-GP-S			Right squared end cap	–	Plastic	–	D	–
LLE-RE10R-GP-R-Swi			End cap for push button	–	Plastic	–	E	–




LLP-RE11-16

Available in 2,5 and 3m for LED strips up to 10 mm width



COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -48%)



INSTALLATION



END CAPS



A


B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE11-16-S2.5	Recessed profile	2.5m	Anodized aluminium	Silver	-	80 pcs
LLP-RE11-16-S3	Recessed profile	3m	Anodized aluminium	Silver	-	80 pcs
LLP-RE11-16-B2.5	Recessed profile	2.5m	Anodized aluminium	Black	-	80 pcs
LLP-RE11-16-B3	Recessed profile	3m	Anodized aluminium	Black	-	80 pcs
LLP-RE11-16-W2.5	Recessed profile	2.5m	Painted aluminium	White	-	80 pcs
LLP-RE11-16-W3	Recessed profile	3m	Painted aluminium	White	-	80 pcs
LLD-16-FM2.5-C20	Opal cover	2.5m	Polycarbonate	-	-	300 pcs
LLD-16-FM3-C20	Opal cover	3m	Polycarbonate	-	-	200 pcs
LLD-16-FS3	Frosted cover	3m	Polycarbonate	-	-	240 pcs
LLE-RE11-GP-N / LLE-RE11-BP-N	End cap without hole	-	Plastic	Grey / Black	A	-
LLE-RE11-GP-W / LLE-RE11-BP-W	End cap with hole	-	Plastic	Grey / Black	B	-



LLP-RE12-16


Available in 2.5 and 3m for LED strips up to 10 mm width




COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -48%)



INSTALLATION



END CAPS




A	B	C	D	Article	Description	Length	Material	Color	Picture	Packaging
				LLP-RE12-16-S2.5	Recessed profile	2.5m	Anodized aluminium	Silver	-	80 pcs
				LLP-RE12-16-S3	Recessed profile	3m	Anodized aluminium	Silver	-	80 pcs
				LLP-RE12-16-B2.5	Recessed profile	2.5m	Anodized aluminium	Black	-	80 pcs
				LLP-RE12-16-B3	Recessed profile	3m	Anodized aluminium	Black	-	80 pcs
				LLP-RE12-16-W2.5	Recessed profile	2.5m	Painted aluminium	White	-	80 pcs
				LLP-RE12-16-W3	Recessed profile	3m	Painted aluminium	White	-	80 pcs
				LLD-16-FM2.5-C20	Opal cover	2.5m	Polycarbonate	-	-	300 pcs
				LLD-16-FM3-C20	Opal cover	3m	Polycarbonate	-	-	200 pcs
				LLD-16-FS3	Frosted cover	3m	Polycarbonate	-	-	240 pcs
				LLE-RE12L-GP-N / LLE-RE12L-BP-N	Left end cap without hole	-	Plastic	Grey / Black	A	-
				LLE-RE12L-GP-W / LLE-RE12L-BP-W	Left end cap with hole	-	Plastic	Grey / Black	B	-
				LLE-RE12R-GP-N / LLE-RE12R-BP-N	Right end cap without hole	-	Plastic	Grey / Black	C	-
				LLE-RE12R-GP-W / LLE-RE12R-BP-W	Right end cap with hole	-	Plastic	Grey / Black	D	-




LLP-RE13-23

Available in 2.5 and 3m for LED strips up to 10 mm width

COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -39%)



INSTALLATION



END CAPS

CONNECTORS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE13-23-S2.5 / LLP-RE13-23-S3	Recessed profile	2.5 / 3m	Anodized aluminium	Silver	-	120 pcs
LLP-RE13-23-B2.5 / LLP-RE13-23-B3	Recessed profile	2.5 / 3m	Anodized aluminium	Black	-	120 pcs
LLP-RE13-23-W2.5 / LLP-RE13-23-W3	Recessed profile	2.5 / 3m	Painted aluminium	White	-	120 pcs
LLD-23-FM2.5 / LLD-23-FM3	Opal cover	2.5 / 3m	Polycarbonate	-	-	300 / 200 pcs
LLE-RE13L-GP-U	Left end cap	-	Plastic	Grey	A	-
LLE-RE13R-GP-U	Right end cap	-	Plastic	Grey	B	-
LLE-RE13L-BP-U	Left end cap	-	Plastic	Black	A	-
LLE-RE13R-BP-U	Right end cap	-	Plastic	Black	B	-
LLE-RE13L-WP-U	Left end cap	-	Plastic	White	A	-
LLE-RE13R-WP-U	Right end cap	-	Plastic	White	B	-
LLC-01-23-T20	Connector for profile	-	-	Transparent	C	-
LLC-01-23-T20A	Connector for profile dupont	-	-	Transparent	D	-



LLP-RE14-23


Available in 2.5 and 3m for LED strips up to 10 mm width



COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -35%)



INSTALLATION



END CAPS



A

B

CONNECTORS



C

D

Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE14-23-S2.5 / LLP-RE14-23-S3	Recessed profile	2.5 / 3m	Anodized aluminium	Silver	-	182 pcs
LLP-RE14-23-B2.5 / LLP-RE14-23-B3	Recessed profile	2.5 / 3m	Anodized aluminium	Black	-	182 pcs
LLP-RE14-23-W2.5 / LLP-RE14-23-W3	Recessed profile	2.5 / 3m	Painted aluminium	White	-	182 pcs
LLD-23-FM2.5 / LLD-23-FM3	Opal cover	2.5 / 3m	Polycarbonate	-	-	300 / 200 pcs
LLE-RE14-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE14-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLE-RE14-BP-N	End cap without hole	-	Plastic	Black	A	-
LLE-RE14-BP-W	End cap with hole	-	Plastic	Black	B	-
LLE-RE14-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-RE14-WP-W	End cap with hole	-	Plastic	White	B	-
LLC-01-23-T20	Connector for profile	-	-	Transparent	C	-
LLC-01-23-T20A	Connector for profile dupont	-	-	Transparent	D	-




LLP-RE15-16

Available in 2.5 and 3m for LED strips up to 10 mm width


COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -38%)




Frosted cover
(light reduction: -38%)



INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE15-16-S2.5 / LLP-RE15-16-S3	Recessed profile	2.5 / 3m	Anodized aluminium	Silver	–	156 pcs
LLP-RE15-16-B2.5 / LLP-RE15-16-B3	Recessed profile	2.5 / 3m	Anodized aluminium	Black	–	156 pcs
LLP-RE15-16-W2.5 / LLP-RE15-16-W3	Recessed profile	2.5 / 3m	Painted aluminium	White	–	156 pcs
LLD-16-FM2.5-C20 / LLD-16-FM3-C20	Opal cover	2.5 / 3m	Polycarbonate	–	–	300 / 200 pcs
LLE-RE15-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-RE15-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLE-RE15-BP-N	End cap without hole	–	Plastic	Black	A	–
LLE-RE15-BP-W	End cap with hole	–	Plastic	Black	B	–




LLP-RE16-00

Available in 3m for LED strips up to 3 mm width



PHOTOMETRIC CURVE



Opal cover
(light reduction: -77%)




INSTALLATION



Wardrobe

LLP-RE16-00-D3




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE16-00-D3	Recessed profile	3m	Polycarbonate	-	-	500 pcs




LLP-RE17-02

Available in 3m for LED strips up to 6 mm width


COVERS



INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE17-02-S3	Recessed profile	3m	Anodized aluminium	Silver	–	126 pcs
LLP-RE17-02-B3	Recessed profile	3m	Anodized aluminium	Black	–	126 pcs
LLP-RE17-02-W3	Recessed profile	3m	Painted aluminium	White	–	126 pcs
LLD-02-FM3	Opal cover	3m	Polycarbonate	–	–	300 pcs
LLD-02-FS3	Frosted cover	3m	Polycarbonate	–	–	300 pcs
LLE-RE17L-GP-U	Left End cap	–	Plastic	Grey	A	–
LLE-RE17R-GP-U	Right End cap	–	Plastic	Grey	B	–
LLE-RE17L-BP-U	Left End cap	–	Plastic	Black	A	–
LLE-RE17R-BP-U	Right End cap	–	Plastic	Black	B	–
LLE-RE17L-WP-U	Left End cap	–	Plastic	White	A	–
LLE-RE17R-WP-U	Right End cap	–	Plastic	White	B	–



LLP-AN01-03


Available in 2m and 3m for LED strips up to 14 mm width




COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -25%)



Semiopal cover
(light reduction: -29%)




Opal cover: -41%
Frosted cover: -47%




40° lens cover
(light reduction: -25%)

INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN01-03-S2 / LLP-AN01-03-S3	Corner profile	2m / 3m	Anodized aluminium	Silver	–	50 pcs
LLP-AN01-03-W2 / LLP-AN01-03-W3	Corner profile	2m / 3m	Painted aluminium	White	–	50 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	–	–	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	–	180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	–	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	40° lens	2m / 3m	PMMA	–	–	–
LLE-AN01-GP-N / LLE-AN01-WP-N	End cap without hole	–	Plastic	Grey / White	A	–
LLE-AN01-GP-W / LLE-AN01-WP-W	End cap with hole	–	Plastic	Grey / White	B	–
LLM-IN01-M	Mounting clip	–	Metal	–	C	–




LLP-AN02-08

Available in 2m and 3m for LED strips up to 10 mm width




COVERS

PHOTOMETRIC CURVE




Transparent cover
(light reduction: -9%)




Opal cover: -25%
Frosted cover: -28%



INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN02-08-S2 / LLP-AN02-08-S3	Corner profile	2m / 3m	Anodized aluminium	Silver	–	100 pcs
LLP-AN02-08-W2	Corner profile	2m / 3m	Painted aluminium	White	–	100 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	–	Plastic	Grey	A	–
LLE-AN0203-GP-W	Round end cap with hole	–	Plastic	Grey	B	–
LLM-ES05-M	Mounting clip	–	Metal	–	C	–
LLM-ES05-P	Mounting clip	–	Plastic	–	D	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	E	–




LLP-AN03-08

Available in 2m and 3m for LED strips up to 10 mm width




COVERS

PHOTOMETRIC CURVE




Transparent cover
(light reduction: -9%)



Opal cover: -25%
Frosted cover: -28%



INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN03-08-S2 / LLP-AN03-08-S3	Corner profile	2m / 3m	Anodized aluminium	Silver	–	120 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2m / 3m	Polycarbonate	–	–	320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	–	Plastic	Grey	A	–
LLE-AN0203-GP-W	Round end cap with hole	–	Plastic	Grey	B	–
LLM-ES05-M	Mounting clip	–	Metal	–	C	–
LLM-ES05-P	Mounting clip	–	Plastic	–	D	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	E	–



LLP-AN04-09


Available in 2m and 3m for LED strips up to 21 mm width




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -7%)




Opal cover: -22%
Frosted cover: -28%



Opal L cover
(light reduction: -25%)

INSTALLATION



END CAPS



MOUNTING CLIPS




A	B	C	D	E	F	G	Article	Description	Length	Material	Color	Picture	Packaging
							LLP-AN04-09-S2 / LLP-AN04-09-S3	Corner profile	2m / 3m	Anodized aluminium	Silver	–	60 pcs
							LLP-AN04-09-W2	Corner profile	2m	Painted aluminium	White	–	60 pcs
							LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2m / 3m	Polycarbonate	–	–	140 pcs
							LLD-09-UM2 / LLD-09-UM3	Round opal cover	2m / 3m	Polycarbonate	–	–	140 pcs
							LLD-09-US2 / LLD-09-US3	Round frosted cover	2m / 3m	Polycarbonate	–	–	140 pcs
							LLD-09-LM2 / LLD-09-LM3	Square opal cover	2m / 3m	Polycarbonate	–	–	100 pcs
							LLE-AN0405-GP-N / LLE-AN0405-WP-N	Round end cap without hole	–	Plastic	Grey / White	A	–
							LLE-AN0405-GP-W / LLE-AN0405-WP-W	Round end cap with hole	–	Plastic	Grey / White	B	–
							LLE-AN0405L-GP-N / LLE-AN0405L-WP-N	Square end cap without hole	–	Plastic	Grey / White	C	–
							LLE-AN0405L-GP-W / LLE-AN0405L-WP-W	Square end cap with hole	–	Plastic	Grey / White	D	–
							LLM-ES06-M	Mounting clip	–	Metal	–	E	–
							LLM-ES06-P	Mounting clip	–	Plastic	–	F	–
							LLM-AC05-P	90° mounting clip	–	Plastic	–	G	–



LLP-AN05-09


Available in 2m and 3m for LED strips up to 21 mm width




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -7%)




Opal cover: -22%
Frosted cover: -28%




Opal L cover
(light reduction: -25%)

INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN05-09-S2 / LLP-AN05-09-S3	Corner profile	2m / 3m	Anodized aluminium	Silver	-	72 pcs
LLP-AN05-09-W3	Corner profile	3m	Painted aluminium	White	-	72 pcs
LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2m / 3m	Polycarbonate	-	-	140 pcs
LLD-09-UM2 / LLD-09-UM3	Round opal cover	2m / 3m	Polycarbonate	-	-	140 pcs
LLD-09-US2 / LLD-09-US3	Round frosted cover	2m / 3m	Polycarbonate	-	-	140 pcs
LLD-09-LM2 / LLD-09-LM3	Square opal cover	2m / 3m	Polycarbonate	-	-	100 pcs
LLE-AN0405-GP-N / LLE-AN0405-WP-N	Round end cap without hole	-	Plastic	Grey / White	A	-
LLE-AN0405-GP-W / LLE-AN0405-WP-W	Round end cap with hole	-	Plastic	Grey / White	B	-
LLE-AN0405L-GP-N / LLE-AN0405L-WP-N	Square end cap without hole	-	Plastic	Grey / White	C	-
LLE-AN0405L-GP-W / LLE-AN0405L-WP-W	Square end cap with hole	-	Plastic	Grey / White	D	-
LLM-IN02-M	Internal mounting clip	-	Metal	-	E	-
LLM-ES06-M	External mounting clip	-	Metal	-	F	-
LLM-ES06-P	External mounting clip	-	Plastic	-	G	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	H	-
LLM-CL01-M	Suspension kit	2m	Metal	-	I	-
LLM-CL02-M	Suspension kit	2m	Metal	-	L	-



LLP-AN06-20

Available in 2m and 3m for LED strips up to 8 mm width



INSTALLATION




END CAPS




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -4%)



Opal cover
(light reduction: -14%)





Frosted cover
(light reduction: -19%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN06-20-S2	Corner profile	2m	Anodized aluminium	Silver	–	160 pcs
LLP-AN06-20-S3	Corner profile	3m	Anodized aluminium	Silver	–	160 pcs
LLD-20-UK2	Round transparent cover	2m	Polycarbonate	–	–	400 pcs
LLD-20-UM2	Round opal cover	2m	Polycarbonate	–	–	400 pcs
LLD-20-UM3	Round opal cover	3m	Polycarbonate	–	–	240 pcs
LLD-20-US2	Round frosted cover	2m	Polycarbonate	–	–	400 pcs
LLE-AN06-GP-F	End cap for furniture	–	Plastic	Grey	A	–




LLP-AN07-03


Available in 2m and 3m for LED strips up to 12 mm width



INSTALLATION



END CAPS




MOUNTING CLIPS



COVERS




PHOTOMETRIC CURVE




— C0-C180 — C180-C270

Transparent cover
(light reduction: -23%)




— C0-C180 — C180-C270

Semiopal cover
(light reduction: -27%)



— C0-C180 — C180-C270

Opal cover: -38%
Frosted cover: -45%



— C0-C180 — C180-C270


47° lens cover
(light reduction: -24%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN07-03-S2 / LLP-AN07-03-S3	Corner profile	2m / 3m	Anodized aluminium	Silver	—	50 pcs
LLP-AN07-03-W2 / LLP-AN07-03-W3	Corner profile	2m / 3m	Painted aluminium	White	—	50 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	—	—	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	—	180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	—	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	47° lens	2m / 3m	PMMA	—	—	—
LLE-AN07-GP-N / LLE-AN07-WP-N	End cap without hole	—	Plastic	Grey / White	A	—
LLE-AN07-GP-W / LLE-AN07-WP-W	End cap with hole	—	Plastic	Grey / White	B	—
LLM-ES13-M	Mounting clip	—	Metal	—	C	—



LLP-WL01-03


Available in 2m for LED strips up to 14 mm width




COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -20%)



Semiopal cover
(light reduction: -25%)




Opal cover: -37%
Frosted cover: -43%




55° lens cover
(light reduction: -19%)

INSTALLATION



END CAPS



A

B

MOUNTING CLIPS



C

CONNECTORS



D


E

Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL01-03-S2	Wall profile	2m	Anodized aluminium	Silver	–	40 pcs
LLD-03-FK2	Transparent cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20	Opal cover (economic)	2m	Polycarbonate	–	–	400 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White	–	180 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black	–	180 pcs
LLD-03-XK2-L2	55° lens	2m	PMMA	–	–	–
LLE-WL01L-GP-U	Left end cap	–	Plastic	Grey	A	–
LLE-WL01R-GP-U	Right end cap	–	Plastic	Grey	B	–
LLM-IN07-M	Mounting clip	–	Metal	–	C	–
LLC-01-03-T20	Connector for profile	–	–	Transparent	D	–
LLC-01-03-T20A	Connector for profile dupont	–	–	Transparent	E	–



LLP-WL02-03


Available in 2m for LED strips up to 12mm width




COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -16%)



Semiopal cover
(light reduction: -21%)




Opal cover: -33%
Frosted cover: -39%




56° lens cover
(light reduction: -16%)

INSTALLATION



END CAPS

MOUNTING CLIPS



A

B



C

Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL02-03-S2	Wall profile	2m	Anodized aluminium	Silver	–	40 pcs
LLP-WL02-03-W2	Wall profile	2m	Painted aluminium	White	–	40 pcs
LLD-03-FK2	Transparent cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20	Opal cover (economic)	2m	Polycarbonate	–	–	400 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White	–	180 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black	–	180 pcs
LLD-03-XK2-L2	56° lens	2m	PMMA	–	–	–
LLE-WL02L-GP-U / LLE-WL02L-WP-U	Left end cap	–	Plastic	Grey / White	A	–
LLE-WL02R-GP-U / LLE-WL02R-WP-U	Right end cap	–	Plastic	Grey / White	B	–
LLM-IN04-M	Mounting clip	–	Metal	–	C	–



LLP-WL03-01


Available in 2m for LED strips up to 17 mm width




COVERS



PHOTOMETRIC CURVE




High opal cover
(light reduction: -37%)



Flat opal cover
(light reduction: -43%)

INSTALLATION



END CAPS





MOUNTING CLIPS

Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL03-01-S2	Wall profile	2m	Anodized aluminium	Silver	-	16 pcs
LLD-01-CM2	High opal cover	2m	Polycarbonate	-	-	160 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	-	-	600 pcs
LLE-WL03-GP-N	End cap	-	Plastic	Grey	A	-
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	-
LLM-IN08-M	Mounting clip	-	Metal	-	C	-

LLP-WL04-05


Available in 2m and 3m for LED strips up to 18 mm width



COVERS




PHOTOMETRIC CURVE




— C0-C180 — C90-C270

Transparent cover
(light reduction: -23%)




— C0-C180 — C90-C270

Opal cover
(light reduction: -38%)



INSTALLATION



END CAPS

MOUNTING CLIPS



A




B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL04-05-S2	Wall profile	2m	Anodized aluminium	Silver	—	9 pcs
LLP-WL04-05-BB2	Wall profile	2m	Anodized aluminium	Brushed Black	—	9 pcs
LLP-WL04-05-W2 / LLP-WL04-05-W3	Wall profile	2m / 3m	Painted aluminium	White	—	9 pcs
LLD-05-FK2	Transparent cover	2m	Polycarbonate	—	—	240 pcs
LLD-05-FM2-C20 / LLD-05-FM3-C20	Opal cover	2m / 3m	Polycarbonate	—	—	320 / 140 pcs
LLD-05-FS2	Frosted cover	2m	Polycarbonate	—	—	240 pcs
LLE-WL04-SM-U	End cap without hole	—	Metal	Grey	A	—
LLE-WL04-WM-U	End cap without hole	—	Metal	White	A	—
LLM-IN08-M	Mounting clip	—	Metal	—	B	—




LLP-WL05-05

Available in 2m and 3m for LED strips up to 18 mm width




COVERS


PHOTOMETRIC CURVE



Transparent cover
(light reduction: -21%)




Opal cover
(light reduction: -37%)



Frosted cover
(light reduction: -38%)

INSTALLATION



END CAPS

MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL05-05-S2	Wall profile	2m	Anodized aluminium	Silver	–	15 pcs
LLP-WL05-05-W2	Wall profile	2m	Painted aluminium	White	–	15 pcs
LLD-05-FK2	Transparent cover	2m	Polycarbonate	–	–	240 pcs
LLD-05-FM2-C20	Opal cover	2m / 3m	Polycarbonate	–	–	320 pcs
LLD-05-FS2	Frosted cover	2m	Polycarbonate	–	–	240 pcs
LLE-WL05L-SM-U	Left end cap	–	Aluminium	Silver	A	–
LLE-WL05R-SM-U	Right end cap	–	Aluminium	Silver	A	–
LLE-WL05L-WM-U	Left end cap	–	Aluminium	White	B	–
LLE-WL05R-WM-U	Right end cap	–	Aluminium	White	B	–
LLM-IN08-M	Mounting clip	–	Metal	–	C	–




LLP-CC01-06


Available in 3m for LED strips up to 12mm width




COVERS



PHOTOMETRIC CURVE




High Opal cover: -64%
High Frosted cover: -63%



Low Opal cover: -65%
Low Frosted cover: -65%

INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CC01-06-G3	Profile for concrete	3m	PVC	Grey	-	-
LLD-06-CM3	Opal cover	3m	Polycarbonate	-	-	30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	-	-	30 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-
LLM-AC04-M	90° vertical connector	-	Metal	-	D	-




LLP-CL01-06



Available in 3m for LED strips up to 15 mm width





COVERS



Photometric curves carried out
changing the position of lower cover




— C0-C180 — C90-C270
Flat opal cover: -41%
Flat frosted cover: -41%




— C0-C180 — C90-C270
Outside opal cover: -32%
Outside frosted cover: -32%

Photometric curves carried out using the lens covers



END CAPS



MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL01-06-S3	Suspended profile	3m	Anodized aluminium	Silver	—	16 pcs
LLP-CL01-06-B3	Suspended profile	3m	Anodized aluminium	Black	—	16 pcs
LLP-CL01-06-W3	Suspended profile	3m	Painted aluminium	White	—	16 pcs
LLP-HS05-00-S3	Heatsink	3m	Anodized aluminium	Silver	—	42 pcs
LLD-06-CM3	Opal cover	3m	Polycarbonate	—	—	30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	—	—	30 pcs
LLD-06-XK1-L1	Lens 52°	1.176 m	Polycarbonate	—	—	—
LLD-06-XK1-L2	Lens 90°	1.176 m	Polycarbonate	—	—	—
LLD-06-XK1-L3	Asymmetric lens	1.176 m	Polycarbonate	—	—	—
LLD-06-XK1-L4	Lens with double asymmetry	1.176 m	Polycarbonate	—	—	—
LLE-CL01-SM-U	End cap	—	Aluminium	Silver	A	—
LLE-CL01-BM-U / LLE-CL01-WM-U	End cap	—	Aluminium	Black / White	A	—
LLE-D06C-WP-X	White end cap for cover	—	Plastic	White	B	—
LLM-AC01-M	Straight connector	—	Metal	—	C	—
LLM-AC02-M	120° horizontal connector	—	Metal	—	D	—
LLM-AC03-M	90° horizontal connector	—	Metal	—	E	—
LLM-AC04-M	90° vertical connector	—	Metal	—	F	—
LLM-SP02-M	Mounting spring	—	Metal	—	G	—
LLM-CL01-M	Suspension kit	2m	Metal	—	H	—
LLM-CL02-M	Suspension kit	2m	Metal	—	I	—




LLP-CL02-07







Available in 2m and 3m for LED strips up to 35 mm width




COVERS




Photometric curves carried out
changing the position of lower cover




Photometric curves carried out changing the position of upper covers



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL02-07-S2 / LLP-CL02-07-S3	Suspended profile	2m / 3m	Anodized aluminium	Silver	–	8 pcs
LLP-CL02-07-B3 / LLP-CL02-07-W3	Suspended profile	3m	Anodized / Painted	Black / White	–	8 pcs
LLP-HS02-00-S2 / LLP-HS02-00-S3	Heatsink	2m / 3m	Anodized aluminium	Silver	–	40 pcs
LLD-07-CM2 / LLD-07-CM3	Opal cover	2m / 3m	Polycarbonate	–	–	48 / 20 pcs
LLD-07-CS2 / LLD-07-CS3	Frosted cover	2m / 3m	Polycarbonate	–	–	48 / 20 pcs
LLD-03-FK2 / LLD-03-FK3	Upper transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2 / LLD-03-FM3	Upper opal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FH2 / LLD-03-FH3	Upper semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FS2 / LLD-03-FS3	Upper frosted cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	Upper 54° lens	2m / 3m	PMMA	–	–	–
LLE-CL02-SM-U	End cap	–	Aluminium	Silver	A	–
LLE-CL02-BM-U / LLE-CL02-WM-U	End cap	–	Aluminium	Black / White	A	–
LLE-D07C-WP-X	White end cap for cover	–	Plastic	White	B	–
LLM-IN06-M	Mounting clip for heatsink	–	Metal	–	C	–
LLM-AC01-M	Straight connector	–	Metal	–	D	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	E	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	F	–
LLM-AC04-M	90° vertical connector	–	Metal	–	G	–
LLM-SP02-M	Mounting spring	–	Metal	–	H	–
LLM-CL01-M	Suspension kit	2m	Metal	–	I	–
LLM-CL02-M	Suspension kit	2m	Metal	–	L	–




LLP-CL04-18

Available in 3m for LED strips up to 50 mm width




COVERS

PHOTOMETRIC CURVE




Opal cover: -37%
Frosted cover: -38%



Biemission Opal: -37%
Biemission Frosted: -38%

INSTALLATION



END CAPS

MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL04-18-S3	Suspended profile	3m	Anodized aluminium	Silver	-	8 pcs
LLP-CL04-18-B3	Suspended profile	3m	Anodized aluminium	Black	-	8 pcs
LLP-CL04-18-W3	Suspended profile	3m	Painted aluminium	White	-	8 pcs
LLP-CL04-00-S3	Aluminium plate	3m	Anodized aluminium	Silver	-	30 pcs
LLP-CL04-00-W3	Aluminium plate	3m	Painted aluminium	White	-	30 pcs
LLP-CL04-00-B3	Aluminium plate	3m	Anodized aluminium	Black	-	30 pcs
LLD-18-FM3	Opal cover	3m	Polycarbonate	-	-	70 pcs
LLD-18-FS3	Frosted cover	3m	Polycarbonate	-	-	70 pcs
LLE-CL04-GP-U	End cap without hole	-	Plastic	Grey	A	-
LLE-CL04-WP-U	End cap without hole	-	Plastic	White	A	-
LLE-CL04-BP-U	End cap without hole	-	Plastic	Black	A	-
LLM-CL01-M	Suspension kit	2m	Metal	-	B	-
LLM-CL02-M	Suspension kit	2m	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-AC01-M	Straight connector	-	Metal	-	E	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	F	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	G	-
LLM-AC04-M	90° vertical connector	-	Metal	-	H	-




LLP-NE01-14

Available in 2m for LED strips up to 20 mm width




PHOTOMETRIC CURVE



Opal cover
(light reduction: -13%)



INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE01-14-S2	Round profile	2m	Anodized aluminium	Silver	–	90 pcs
LLD-14-RM2	Opal cover	2m	Polycarbonate	–	–	80 pcs
LLE-NE0102-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-NE0102-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLM-CL01-M	Suspension kit	2m	Metal	–	C	–
LLM-CL02-M	Suspension kit	2m	Metal	–	D	–
LLM-SP02-M	Mounting spring	–	Metal	–	E	–
LLM-AC01-M	Straight connector	–	Metal	–	F	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	G	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	H	–
LLM-AC04-M	90° vertical connector	–	Metal	–	I	–



LLP-NE02-15


Available in 2m for LED strips up to 18 mm width



COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -13%)



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE02-15-S2	Waterproof round profile	2m	Anodized aluminium	Silver	–	80 pcs
LLD-15-WM2	Opal cover	2m	Polycarbonate	–	–	30 pcs
LLE-NE0102-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-NE0102-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLE-D15W-WS-U	Internal end cap	–	Silicone	White	C	–



LLP-NE03-17


Available in 2m for LED strips up to 15 mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -32%)



INSTALLATION



END CAPS MOUNTING CLIPS



A



B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE03-17-S2	Round profile	2m	Anodized aluminium	Silver	–	40 pcs
LLD-17-RM2	Opal cover	2m	Polycarbonate	–	–	12 pcs
LLE-NE03-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-NE03-WP-N	End cap without hole	–	Plastic	White	A	–
LLM-CL03-M	Suspension kit	2m	Metal	–	B	–



LLP-NE04-19


Available in 2m for LED strips up to 22mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -32%)

INSTALLATION



END CAPS



MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE04-19-S2	Round profile	2m	Anodized aluminium	Silver	–	100 pcs
LLD-19-RM2	Opal cover	2m	Polycarbonate	–	–	30 pcs
LLE-NE04-WP-U	End cap without hole	–	Plastic	White	A	–
LLM-CL01-M	Suspension kit	2m	Metal	–	B	–
LLM-CL02-M	Suspension kit	2m	Metal	–	C	–
LLM-SP02-M	Mounting spring	–	Metal	–	D	–
LLM-AC01-M	Straight connector	–	Metal	–	E	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	F	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	G	–
LLM-AC04-M	90° vertical connector	–	Metal	–	H	–

LLP-TI01-11


Available in 3m for LED strips up to 10 mm width



COVERS




PHOTOMETRIC CURVE




CB-C180 CB-C270

Opal cover: -42%
Frosted cover: -43%



INSTALLATION



END CAPS





A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI01-11-S3	Tiling waterproof profile	3m	Anodized aluminium	Silver	–	48 pcs
LLP-AC02-00-S3	Flat bar	3m	Anodized aluminium	Silver	–	–
LLD-11-WM3	Opal cover	3m	Polycarbonate	–	–	40 pcs
LLD-11-WS3	Frosted cover	3m	Polycarbonate	–	–	40 pcs
LLE-D11W-WS-U	End cap	–	Silicone	White	A	550 pcs



LLP-TI02-10


Available in 3m for LED strips up to 17 mm width



COVERS




PHOTOMETRIC CURVE



Frosted cover
(light reduction: -26%)



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI02-10-W3	Tiling profile	3m	Painted aluminium	White	-	30 pcs
LLD-10-LS3	Frosted cover	3m	Polycarbonate	-	-	150 pcs



LLP-TI03-10


Available in 3m for LED strips up to 17 mm width



COVERS




PHOTOMETRIC CURVE



Frosted cover
(light reduction: -26%)



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI03-10-S3	Tiling profile	3m	Anodized aluminium	Silver	–	30 pcs
LLP-TI03-10-W3	Tiling profile	3m	Painted aluminium	White	–	30 pcs
LLD-10-LS3	Frosted cover	3m	Polycarbonate	–	–	150 pcs




LLP-ST01-00

Available in 2.5 m for neon flex up to 6 mm width




PHOTOMETRIC CURVE



Frosted cover
(light reduction: -26%)

INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-ST01-00-S2.5	Profile for step	2.5 m	Anodized aluminium	Silver	–	40 pcs
LLP-ST01-00-B2.5	Profile for step	2.5 m	Anodized aluminium	Black	–	40 pcs



LLP-FL01-21


Available in 2m for LED strips up to 12mm width



COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -49%)



INSTALLATION



END CAPS



A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL01-21-S2	Floor profile	2m	Anodized aluminium	Silver	–	72 pcs
LLD-21-FM2	Opal cover	2m	Polycarbonate	–	–	320 pcs
LLE-FL01-SM-U	End cap	–	Stainless steel	Silver	A	–



LLP-FL02-21


Available in 2m for LED strips up to 15 mm width




COVERS



INSTALLATION





PHOTOMETRIC CURVE



Opal cover
Strip lying on profile bottom
(light reduction: -75%)

END CAPS



Opal cover
Strip lifted on plate
(light reduction: -49%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL02-21-S2	Floor profile	2m	Anodized aluminium	Silver	–	36 pcs
LLD-21-FM2	Opal cover	2m	Polycarbonate	–	–	320 pcs
LLE-FL02-SM-U	End cap	–	Stainless steel	Silver	A	–
LLP-AC01-00-S3	Flat bar	–	Anodized aluminium	Silver	–	–




LLP-FL03-21

Available in 2m for LED strips up to 15 mm width

COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -49%)



INSTALLATION



END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL03-21-S2	Floor profile	2m	Anodized aluminium	Silver	–	64 pcs
LLD-21-FM2	Opal cover	2m	Polycarbonate	–	–	320 pcs
LLE-FL03-SM-U	End cap	–	Stainless steel	Silver	A	–




LLP-DW01-03

Available in 2m and 3m for LED strips up to 14 mm width



INSTALLATION



END CAPS




A


COVERS




PHOTOMETRIC CURVE




Transparent cover 40°
(light reduction: -41%)



Semiopal cover
(light reduction: -45%)



Opal cover: -59%
Frosted cover: -60%






14° lens cover
(light reduction: -41%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW01-03-W2	Drywall profile	2m	Painted aluminium	White	—	32 pcs
LLP-DW01-03-W3	Drywall profile	3m	Painted aluminium	White	—	32 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	—	—	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	—	180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	—	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	14° lens	2m / 3m	PMMA	—	—	—
LLE-DW01-SM-U	End cap	—	Galvanized sheet	Silver	A	—



LLP-DW02-03

Available in 2m for LED strips up to 16 mm width




INSTALLATION




COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -38%)



Semiopal cover
(light reduction: -42%)



Opal cover: -56%
Frosted cover: -58%




13° lens cover
(light reduction: -38%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW02-03-S2	Drywall profile	2m	Anodized aluminium	Silver	–	–
LLD-03-FK2	Transparent cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20	Opal cover (economic)	2m	Polycarbonate	–	–	400 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White	–	180 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black	–	180 pcs
LLD-03-XK2-L2	13° lens	2m	PMMA	–	–	–



LLP-DW03-03

Available in 3m for LED strips up to 13mm width



INSTALLATION



CONNECTORS




A

B


COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction -35%)



Semiopal cover
(light reduction -42%)



Opal cover: -53%
Frosted cover: -59%




11° lens cover
(light reduction -37%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW03-03-W3	Drywall profile	3m	Painted aluminium	White	-	35 pcs
LLD-03-FK3	Transparent cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FM3-C20	Opal cover (economic)	3m	Polycarbonate	-	-	200 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White	-	180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black	-	180 pcs
LLD-03-XK3-L2	11° lens	3m	PMMA	-	-	-
LLC-01-03-T20	Connector for profile	-	-	Transparent	A	-
LLC-01-03-T20A	Connector for profile dupont	-	-	Transparent	B	-





LLP-DW04-06


Available in 3m for LED strips up to 15 mm width




Photometric curves carried out
changing the position of lower cover



Photometric curves carried out using the lens covers



INSTALLATION



END CAPS

MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW04-06-W3	Drywall profile	3m	Painted aluminium	White	—	12 pcs
LLP-HS05-00-S3	Heatsink	3m	Anodized aluminium	Silver	—	42 pcs
LLD-06-CM3	Opal cover	3m	Polycarbonate	—	—	30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	—	—	30 pcs
LLD-06-XK1-L1	Lens 52°	1.176 m	Polycarbonate	—	—	—
LLD-06-XK1-L2	Lens 90°	1.176 m	Polycarbonate	—	—	—
LLD-06-XK1-L3	Asymmetric lens	1.176 m	Polycarbonate	—	—	—
LLD-06-XK1-L4	Lens with double asymmetry	1.176 m	Polycarbonate	—	—	—
LLE-DW04-SM-U	End cap	—	Aluminium	Silver	A	—
LLM-AC01-M	Straight connector	—	Metal	—	B	—
LLM-AC02-M	120° horizontal connector	—	Metal	—	C	—
LLM-AC03-M	90° horizontal connector	—	Metal	—	D	—
LLM-AC04-M	90° vertical connector	—	Metal	—	E	—




LLP-DW05-07


Available in 3m for LED strips up to 35 mm width




COVERS



PHOTOMETRIC CURVE



Outside opal cover: -39%
Outside frosted cover: -40%



Flat opal cover: -41%
Flat frosted cover: -42%

INSTALLATION



B

END CAPS



A

B

MOUNTING CLIPS



C

D

E



F

G

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW05-07-W3	Drywall profile	3m	Painted aluminium	White	–	6 pcs
LLP-HS02-00-S3	Heatsink	3m	Anodized aluminium	Silver	–	40 pcs
LLD-07-CM3	Opal cover	3m	Polycarbonate	–	–	20 pcs
LLD-07-CS3	Frosted cover	3m	Polycarbonate	–	–	20 pcs
LLE-DW05-SM-U	End cap	–	Aluminium	Silver	A	–
LLE-D07C-WP-X	White end cap for cover	–	Plastic	White	B	–
LLM-IN06-M	Mounting clip for heatsink	–	Metal	–	C	–
LLM-AC01-M	Straight connector	–	Metal	–	D	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	E	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	F	–
LLM-AC04-M	90° vertical connector	–	Metal	–	G	–

LLP-DW06-02


Available in 3m for LED strips up to 6 mm width




COVERS



PHOTOMETRIC CURVE



Opal cover: -55%
Frosted cover: -59%



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW06-02-W3	Drywall profile	3m	Painted aluminium	White	-	48 pcs
LLD-02-FM3	Opal cover	3m	Polycarbonate	-	-	300 pcs
LLD-02-FS3	Frosted cover	3m	Polycarbonate	-	-	300 pcs



LLP-DW07-01


Available in 2 and 3m for LED strips up to 18 mm width




COVERS




PHOTOMETRIC CURVE



High opal cover
(light reduction: -25%)



Low opal cover
(light reduction: -31%)



INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW07-01-W2 / LLP-DW07-01-W3	Drywall profile	2m / 3m	Painted aluminium	White	–	32 pcs
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3	High opal / frosted cover	2m / 3m	Polycarbonate	–	–	160 / 120 pcs
LLD-01-FM2 / LLD-01-FS2 / LLD-01-FM3	Low opal / frosted cover	2m / 3m	Polycarbonate	–	–	350 pcs
LLE-DW07-SM-U	End cap	–	Galvanized sheet	Silver	A	–
LLE-D01C-GP-X	End cap for high cover	–	Plastic	Grey	B	–




LLP-DW08-03

Available in 2 and 3m for LED strips up to 14 mm width


COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -21%)




Semiopal cover
(light reduction: -24%)



Opal cover: -37%
Frosted cover: -40%

INSTALLATION



Bending line (LLP-DW08-03-WX-F)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW08-03-W2 / LLP-DW08-03-W3	Drywall profile	2m / 3m	Painted aluminium	White	–	40 pcs
LLP-DW08-03-W2-F / LLP-DW08-03-W3-F	Drywall profile (bendable)	2m / 3m	Painted aluminium	White	–	40 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	–	–	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	–	320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	–	320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	18° lens	2m / 3m	PMMA	–	–	–
LLD-03-SM50	Opal silicone cover	50m	Silicone	White	–	5 pcs




LLP-DW09-01

Available in 2m for LED strips up to 17 mm width



COVERS

PHOTOMETRIC CURVE



Low opal cover
(light reduction: -35%)

INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW09-01-W2	Drywall profile	2m	Painted aluminium	White	–	12 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	–	–	350 pcs
LLE-DW09-SM-U	End cap	–	Galvanized sheet	Silver	A	–
LLE-DW09-WM-U	End cap	–	Painted sheet	White	A	–
LLM-AC01-M	Straight connector	–	Metal	–	B	–



LLP-DW10-05


Available in 3m for LED strips up to 24 mm width



COVERS




PHOTOMETRIC CURVE



— C0-C180 — C180-C270


Transparent cover
(light reduction: -20%)



— C0-C180 — C180-C270

Opal cover
(light reduction: -37%)

INSTALLATION



MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW10-05-W3	Drywall profile	3m	Painted aluminium	White	–	25 pcs
LLD-05-FK3	Transparent cover	3m	Polycarbonate	–	–	140 pcs
LLD-05-FM3-C20	Opal cover	3m	Polycarbonate	–	–	140 pcs
LLD-05-FS3	Frosted cover	3m	Polycarbonate	–	–	140 pcs
LLM-AC01-M	Straight connector	–	Metal	–	A	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	B	–
LLM-AC04-M	90° vertical connector	–	Metal	–	C	–




LLP-DW11-03

Available in 2m and 3m for LED strips up to 17 mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 50°
(light reduction: -37%)





Semiopal cover 67°
(light reduction: -40%)



Opal cover: -50%
Frosted cover: -54%



35° lens cover
(light reduction: -28%)



INSTALLATION



END CAPS



A

MOUNTING CLIPS



B



C



D



E

CONNECTORS



F




G

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW11-03-W2 / LLP-DW11-03-W3	Drywall profile	2m / 3m	Painted aluminium	White	-	14 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	-	-	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	-	-	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	-	-	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	-	-	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	-	-	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	-	180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	-	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	35° lens	2m / 3m	PMMA	-	-	-
LLP-DW11-SM-U	End cap	-	Galvanized sheet	Silver	A	-
LLM-AC01-M	Straight connector	-	Metal	-	B	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	C	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	D	-
LLM-AC04-M	90° vertical connector	-	Metal	-	E	-
LLC-01-03-T20	Connector for profile	-	-	Transparent	F	-
LLC-01-03-T20A	Connector for profile dupont	-	-	Transparent	G	-



LLP-DW14-03


Available in 3m for LED strips up to 14 mm width




COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -22%)



Semiopal cover
(light reduction: -25%)




Opal cover: -39%
Frosted cover: -41%



60° lens cover
(light reduction: -19%)

INSTALLATION



MOUNTING CLIPS



A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW14-03-W3	Drywall profile	3m	Painted aluminium	White	–	32 pcs
LLD-03-FK3	Transparent cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FM3-C20	Opal cover (economic)	3m	Polycarbonate	–	–	200 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White	–	180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black	–	180 pcs
LLD-03-XK3-L2	60° lens	3m	PMMA	–	–	–
LLE-DW14-SM-U	End cap	–	Galvanized sheet	Silver	A	–




LLP-DW15-03

Available in 3m for LED strips up to 14 mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 70°
(light reduction: -23%)




Semiopal cover 78°
(light reduction: -27%)






Opal cover: -41%
Frosted cover: -45%




Black
(light reduction: -87%)



40° lens cover
(light reduction: -18%)



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW15-03-W3	Drywall profile	3m	Painted aluminium	White	–	48 pcs
LLD-03-FK3	Transparent cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FM3-C20	Opal cover (economic)	3m	Polycarbonate	–	–	200 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	–	–	180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White	–	180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black	–	180 pcs
LLD-03-XK3-L2	40° lens	3m	PMMA	–	–	–



LLP-DW16-03


Available in 3m for LED strips up to 14 mm width




COVERS



PHOTOMETRIC CURVE



Transparent cover
(light reduction: -10%)



Opal cover
(light reduction: -26%)

INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW16-03-W3	Drywall profile	3m	Painted aluminium	White	-	12 pcs
LLD-03-FK3	Transparent cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FM3-C20	Opal cover (economic)	3m	Polycarbonate	-	-	200 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	-	-	180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White	-	180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black	-	180 pcs
LLD-03-XK3-L2	60° lens	3m	PMMA	-	-	-
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-




LLP-DW17-00

Available in 2.9m for LED strips up to 14 mm width



PHOTOMETRIC CURVE



— C0-C180 — C90-C270

Transparent cover
(light reduction: -25%)



INSTALLATION



END CAPS

MOUNTING CLIPS



A

B



C

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW17-00-W2.9	Drywall profile	2.9m	Painted aluminium	White	–	10 pcs
LLE-DW17-SM-U	End cap for furniture	–	Plastic	Grey	A	–
LLM-AC01-M	Straight connector	–	Metal	–	B	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	C	–



LLP-BB02-02


Available in 2m for LED strips up to 6 mm width



COVERS




PHOTOMETRIC CURVE



Opal cover: -65%
Frosted cover: -67%

INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB02-02-S2	Baseboard profile (rear part)	2m	Anodized aluminium	Silver	-	-
LLP-BB03-00-S2	Baseboard profile (front part)	2m	Anodized aluminium	Silver	-	-
LLP-BB03-00-B2	Baseboard profile (front part)	2m	Anodized aluminium	Black	-	-
LLD-02-FM2	Opal cover	2m	Polycarbonate	-	-	600 pcs
LLD-02-FS2	Frosted cover	2m	Polycarbonate	-	-	600 pcs



LLP-BB04-20


Available in 2m for LED strips up to 8 mm width



COVERS



PHOTOMETRIC CURVE



Opal cover: -31%

INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB04-20-S2	Baseboard profile (rear part)	2m	Anodized aluminium	Silver	-	16 pcs
LLD-20-UK2	Round transparent cover	2m	Polycarbonate	-	-	400 pcs
LLD-20-UM2	Round opal cover	2m	Polycarbonate	-	-	400 pcs
LLD-20-US2	Round frosted cover	2m	Polycarbonate	-	-	400 pcs
LLE-BB04-SM-U	End cap	-	Metal	Silver	A	-
LLM-IN05-P	Mounting clip	-	Plastic	-	B	-




LLP-BB05-00

Available in 2m for LED strips up to 10 mm width




PHOTOMETRIC CURVE



Opal cover: -23%



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB05-00-S2	Baseboard profile	2m	Anodized aluminium	Silver	-	10 pcs
LLE-BB05-SM-U	End cap	-	Metal	Silver	A	-
LLM-AC01-M	Straight connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-



LLP-HR01-0203



Available in 6 m for LED strips up to 6 mm and 12mm width



COVERS





INSTALLATION





Article	Description	Length	Material	Color	Picture	Packaging
LLP-HR01-0203-S6	Handrail profile	6 m	Anodized aluminium	Silver	–	–
LLD-02-FM2 / LLD-02-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	300 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	–	–	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–	–	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	–	180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	PMMA	–	–	–







C0-C180 C90-C270

Transparent cover
(light reduction: -17%)




C0-C180 C90-C270

60° lens cover
(light reduction: -17%)



C0-C180 C90-C270

Transparent cover




C0-C180 C90-C270

Transparent cover

LLP-SH01-03


Available in 2m for LED strips up to 12mm width




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -19%)



Semiopal cover
(light reduction: -23%)




Opal cover: -37%
Frosted cover: -39%

INSTALLATION



END CAPS




A	B	Article	Description	Length	Material	Color	Picture	Packaging
		LLP-SH01-03-S2	Shelf profile	2m	Anodized aluminium	Silver	–	40 pcs
		LLP-SH01-03-B2	Shelf profile	2m	Anodized aluminium	Black	–	40 pcs
		LLP-SH01-03-W2	Shelf profile	2m	Painted aluminium	White	–	40 pcs
		LLD-03-FK2	Transparent cover	2m	Polycarbonate	–	–	180 pcs
		LLD-03-FM2	Opal cover	2m	Polycarbonate	–	–	180 pcs
		LLD-03-FM2-C20	Opal cover (economic)	2m	Polycarbonate	–	–	400 pcs
		LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–	–	180 pcs
		LLD-03-FS2	Frosted cover	2m	Polycarbonate	–	–	180 pcs
		LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White	–	180 pcs
		LLD-03-FB2	Black cover	2m	Polycarbonate	Black	–	180 pcs
		LLE-SH01L-GP-N	Left end cap without hole	–	Plastic	Grey	A	–
		LLE-SH01R-GP-N	Right end cap without hole	–	Plastic	Grey	B	–
		LLE-SH01L-WP-N	Left end cap without hole	–	Plastic	White	A	–
		LLE-SH01R-WP-N	Right end cap without hole	–	Plastic	White	B	–



LLP-SH02-03


Available in 2 and 3m for LED strips up to 12mm width



COVERS




PHOTOMETRIC CURVE




— C0-C180 — C90-C270

Transparent cover
(light reduction: -25%)



— C0-C180 — C90-C270


Semiopal cover
(light reduction: -28%)



— C0-C180 — C90-C270

Opal cover: -42%
Frosted cover: -43%

INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH02-03-S2 / LLP-SH02-03-S3	Shelf profile	2m / 3m	Anodized aluminium	Silver	—	40 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FM2-C20 / LLD-03-FM3-C20	Opal cover (economic)	2m / 3m	Polycarbonate	—	—	400 / 200 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	—	—	180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White	—	180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black	—	180 pcs
LLE-SH02-GP-U	End cap	—	Plastic	Grey	A	—



LLP-SH03-03


Available in 2m for LED strips up to 12mm width




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -33%)




Semiopal cover
(light reduction: -36%)



Opal cover: -50%
Frosted cover: -51%

INSTALLATION



END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH03-03-S2	Shelf profile	2m	Anodized aluminium	Silver	–	40 pcs
LLD-03-FK2	Transparent cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20	Opal cover (economic)	2m	Polycarbonate	–	–	400 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White	–	180 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black	–	180 pcs
LLE-SH03-GP-U	End cap	–	Plastic	Grey	A	–




LLP-WB01-00


Available in 2m for 6 mm Neon Flex




PHOTOMETRIC CURVE



Light reduction: -15%



INSTALLATION



MOUNTING CLIPS






Article	Description	Length	Material	Color	Picture	Packaging
LLP-WB01-00-S2	Wardrobe profile	2m	Anodized aluminium	Silver	-	50 pcs



LLP-MR01-03


Available in 2m for LED strips up to 12mm width




COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -62%)




Frosted cover
(light reduction: -67%)

INSTALLATION




MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-MR01-03-S2	Mirror profile	2m	Anodized aluminium	Silver	–	18 pcs
LLP-MR01-03-B2	Mirror profile	2m	Anodized aluminium	Black	–	18 pcs
LLD-03-FK2	Transparent cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FM2-C20	Opal cover (economic)	2m	Polycarbonate	–	–	400 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	–	–	180 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White	–	180 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black	–	180 pcs
LLM-AC06-M	90° horizontal connector	–	Metal	–	A	–
LLM-AC07-M	90° vertical connector	–	Metal	–	B	–





Matching between covers and profiles


 LLD-01-C	       
 LLD-01-F	       
 LLD-02-F	        
 LLD-03-F  LLD-03-XK	                       
 LLD-04-U	
 LLD-05-F	     
 LLD-06-C	   
 LLD-07-C	  
 LLD-08-U	 
 LLD-09-L	 
 LLD-09-U	 
 LLD-10-L	 
 LLD-11-W	




Matching between covers and profiles

 LLD-12-W	
 LLD-13-W	
 LLD-14-R	
 LLD-15-W	
 LLD-16-F	
 LLD-17-R	
 LLD-18-F	
 LLD-19-R	
 LLD-20-U	
 LLD-21-F	
 LLD-22-F	
 LLD-23-F	
 LLD-25-F	
 LLD-26-F	






LLP-SL01-01




LLP-SL02-06




LLP-SL03-02




LLP-SL04-04




LLP-SL05-03




LLP-SL06-05



LLP-SL07-05




LLP-SL08-03




LLP-SL09-12




LLP-SL10-13




LLP-SL11-01




LLP-SL12-16




LLP-SL13-0222




LLP-SL14-16




LLP-SL15-01




LLP-SL16-16




LLP-SL17-03




LLP-SL18-25




LLP-SL19-26




LLP-SL20-20




LLP-SL21-00




LLP-AC03-00



LLP-AC04-00




LLP-RE01-03




LLP-RE01B-03




LLP-RE02-03




LLP-RE03-05




LLP-RE04-07




LLP-RE05-01




LLP-RE06-01




LLP-RE07-12




LLP-RE08-13




LLP-RE09-0222




LLP-RE10-02




LLP-RE11-16



LLP-RE12-16



LLP-RE13-23




LLP-RE14-23



LLP-RE15-16
























LLP-RE16-00




LLP-RE17-02









LLP-FL01-21




LLP-FL02-21



LLP-FL03-21




LLP-BB02-02




LLP-BB04-20




LLP-BB05-00



LLP-SH01-03




LLP-SH02-03



LLP-SH03-03




LLP-CC01-06



LLP-WB01-00



LLP-MR01-03



LLP-HR01-0203



HOW DO YOU BREAK DOWN LIGHTING LINE CODES?

Profiles (LLP)

LLP	Dash	Type	Progressive n.	Dash	Cover	Dash	Colour	Length
LLP	-	SL	08	-	03	-	S	2
LLP	-	SL	08	-	03	-	B	3

Type	
SL	Surface (Slim Line)
RE	Recessed
AN	Corner
CL	Ceiling
ST	Step
DW	Drywall
TI	Tiles
WL	Wall
BB	Baseboard
CC	Concrete
FL	Floor
NE	Neon
SH	Shelves
WB	Wardrobe
MR	Mirror

Colour	
S	Silver
P	Polished silver
B	Black
BB	Brushed black
W	White

Some profiles are designed to provide different fits of the cover, which can be positioned according to the desired lighting effect. The larger ones can accommodate a slim power supply inside.

Caps, mounting clips and heat sinks are to be provided to complement the profiles.

For more detailed information on the mounting and the accessories required, please see the catalog pages dedicated to the codes of interest.

Covers (LLD)

LLD	Dash	Progressive n.	Dash	Type	Opacity	Length
LLD	-	03	-	F	K	2
LLD	-	03	-	F	M	2
LLD	-	03	-	F	S	3

Type	
F	Flat
U	Round
C	Three-sided
R	Circular
L	L-shaped
W	Waterproof
P	Walkable
X	Lens

Opacity	
K	Transparent
H	Semiopal
M	Opal
S	Frosted
W	Frosted white
B	Black

End caps (LLE)

LLE	Dash	Type	Prog. n.	R/L	Dash	Colour	Material	Dash	Model
LLE	-	SL	08		-	G	P	-	N
LLE	-	SL			-	B	P	-	W
LLE		SL				W	P	-	F

Material	
P	Plastic
M	Metal
S	Silicone
3D	3D print

Model	
N	Without hole
W	With hole
U	Unique
F	Furniture

Mounting clips (LLM)

LLM	Dash	Type	Progressive n.	Dash	Material
LLM	-	ES	01	-	M
LLM	-	ES	01	-	P

Type	
IN	Internal
ES	External
SP	Special
CL	Ceiling
AC	Accessories

Material	
M	Metal
P	Plastic

PLEASE NOTE: The codes used in the example refer to SL08 model profiles and accessories.





LIGHTING LINE

Head office

V. Nagevičiaus g. 3
LT-08237 Vilnius (LT)
+370 52 559408

Production unit

Shenzhen, Guangdong
China

info@lightingline.eu
www.lightingline.eu